

Сведения о ведущей организации

Полное наименование организации	Федеральное государственное бюджетное учреждение науки Институт общей генетики им. Н.И. Вавилова Российской академии наук
Сокращенное наименование организации	ФГБУН ИОГЕН РАН
Место нахождения	Москва, ул. Губкина, д. 3
Почтовый адрес	119991, ГСП-1 Москва, ул. Губкина, д. 3
Телефон	+7 (499) 135-62-13
Адрес электронной почты	iogen@vigg.ru
Адрес официального сайта	http://vigg.ru/
Список основных публикаций работников организации по теме диссертации за последние 5 лет (не более 15)	<ol style="list-style-type: none">1. Nikiforov NG, Zhelankin AV, Bukrinsky M, Makeev VJ, Foxh K, Kruth HS, Orekhov AN. Genes associated with cholesterol accumulation in macrophages (transcriptome analysis). <i>Atherosclerosis</i>, 2017; 264: 117, doi 10.1016/j.atherosclerosis.2017.06.3772. Orekhov AN, Nikiforov NG, Elizova NV, Ivanova EA, Makeev VJ. Phenomenon of individual difference in human monocyte activation. <i>Experimental and Molecular Pathology</i>, 2015; 99(1):151-43. Zakharevich NV, Averina OV, Klimina KM, Kudryavtseva AV, Kasianov AS, Makeev VJ, Danilenko VN. Complete Genome Sequence of <i>Bifidobacterium longum</i> GT15: Identification and Characterization of Unique and Global Regulatory Genes. <i>Microb Ecol.</i> 2015 Apr 174. Vorontsov IE, Khimulya G, Lukianova EN, Nikolaeva DD, Eliseeva IA, Kulakovskiy IV, et al. Negative selection maintains transcription factor binding motifs in human cancer. <i>BMC Genomics</i>. 2016;17: 395.

-
5. Kulakovskiy IV, Vorontsov IE, Yevshin IS, Soboleva AV, Kasianov AS, Ashoor H, et al. HOCOMOCO: expansion and enhancement of the collection of transcription factor binding sites models. *Nucl Acids Res.* 2016;44: D116–D125.
 6. Panchin AY, Makeev VJ, Medvedeva YA. Preservation of methylated CpG dinucleotides in human CpG islands. *Biology Direct.* 2016;11: 11.
 7. Krasnov GS, Dmitriev AA, Kudryavtseva AV, Shargunov AV, Karpov DS, Uroshlev LA, et al. PPLine: An Automated Pipeline for SNP, SAP, and Splice Variant Detection in the Context of Proteogenomics. *J Proteome Res.* 2015;14: 3729–3737.
 8. Raghavan M, Steinrücken M, Harris K, **Balanovsky O**, Lavryashina M, Bogunov Y., et al. **Genomic evidence for the Pleistocene and recent population history of Native Americans.** *Science.* 2015 Aug 21;349(6250)
 9. Vorontsov IE, Fedorova AD, Yevshin IS, Sharipov RN, Kolpakov FA, Makeev VJ, Kulakovskiy IV. Genome-wide map of human and mouse transcription factor binding sites aggregated from ChIP-Seq data. *BMC research notes.* 2018; 11(1): 756, doi 10.1186/s13104-018-3856-x
 10. Orekhov AN, Pushkarsky T, Oishi Y, Nikiforov NG, Zhelankin AV, Dubrovsky L, Makeev VJ, Foxx K, Jin X, Kruth HS, Sobenin IA, Sukhorukov VN, Zakiev ER, Kontush A, Le Goff W, Bukrinsky M. HDL activates expression of genes stimulating cholesterol efflux in human monocyte-derived macrophages. *Experimental and molecular pathology.* 2018; 105(2), doi 10.1016/j.yexmp.2018.08.003
 11. Orekhov AN, Oishi Y, Nikiforov NG, Zhelankin AV, Dubrovsky L, Sobenin IA, Kel A, Stelmashenko D, Makeev VJ, Foxx K, Jin X, Kruth HS, Bukrinsky M. Modified Ldl Particles Activate Inflammatory Pathways In Monocyte-Derived Macrophages: Transcriptome Analysis. *Current pharmaceutical design.* 2018, doi 10.2174/1381612824666180911120039

12. Orekhov AN, Oishi Y, Nikiforov NG, Zhelankin AV, Sobenin IA, Stelmashenko D, Makeev VJ, Foxx K, Kruth HS, Jin X, Bukrinsky M. Transcriptome analysis revealed inflammatory genes responsible for foam cell formation. *Atherosclerosis*. 2018, 275, doi 10.1016/j.atherosclerosis.2018.06.329
13. Sukhorukov VN, Zakiev ER, Nikiforov NG, Oishi Y, Zhelankin AV, Sobenin IA, Makeev VJ, Kontush A, Le Goff W, Foxx K, Kruth HS, Jin X, Bukrinsky M, Orekhov AN. Transcriptome analysis of human macrophages reveals genes regulating cellular cholesterol efflux. *Atherosclerosis*. 2018, 275, doi 10.1016/j.atherosclerosis.2018.06.127
14. Shtratnikova VYu, Belalov I, Kasianov AS, Schelkunov MI, Da Logacheva Maria, Novikov AD, Shatalov AA, Gerasimova TV, Yanenko AS, Makeev VJ. The complete genome of the oil emulsifying strain *Thalassolituus oleivorans* K-188 from the Barents Sea. *Marine Genomics*, 2018, 37: 18-20, doi 10.1016/j.margen.2017.08.005
15. Kulakovskiy IV, Vorontsov IE, Yevshin IS, Sharipov RN, Fedorova AD, Rumynskiy EI, Medvedeva YA, Magana-Mora A, Bajic VB, Papatsenko DA, Kolpakov FA, Makeev VJ. HOCOMOCO: towards a complete collection of transcription factor binding models for human and mouse via large-scale ChIP-Seq analysis. *Nucleic acids research*, 2017, 46(D1): 252-259, doi 10.1093/nar/gkx1106