

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/330359336>

# Towards combinatorial framework for composite 5G communication challenge system

Preprint · January 2019

DOI: 10.13140/RG.2.2.10684.49284

---

CITATIONS

0

1 author:



Mark Sh. Levin  
Russian Academy of Sciences

188 PUBLICATIONS 856 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Scheduling [View project](#)

# Towards combinatorial framework for composite 5G communication challenge system

Mark Sh. Levin

The paper addresses analysis and composition of 5G communication technology challenges and key enabling technologies for 5G. First, a literature survey on the 5G challenges is presented. Second, aggregation/hierarchical forecasting schemes are briefly described. Third, a general hierarchical structure over 5G communication challenges is examined. The structure is a basis to design a hierarchical composite 5G challenge system. Fourth, a design example for the composite 5G challenge system based on optimization approaches (e.g., location, allocation, placement, scheduling, convex optimization, mixed integer programming) is consider. This example is based on hierarchical morphological design method. The suggested material (i.e., framework/approach) may be used as a prototype for various applied domains and may be very prospective in engineering/CS education.

*Keywords:* communication, 5G generation, technological challenges, optimization, combinatorial optimization, forecasting, morphological design

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Preliminaries . . . . .	2
1.2	Evolution of communication technologies . . . . .	2
<b>2</b>	<b>Technology challenges</b>	<b>2</b>
2.1	Resources, requirements and criteria . . . . .	5
2.2	Key enabling technologies for 5G . . . . .	5
<b>3</b>	<b>Note on aggregate/hierarchical forecasting</b>	<b>11</b>
<b>4</b>	<b>Example of composite challenge system</b>	<b>14</b>
4.1	General composite 5G challenge system . . . . .	14
4.2	Basic auxiliary optimization approaches . . . . .	14
4.3	Morphological design . . . . .	14
4.4	Optimization based composite 5G challenge system . . . . .	15
<b>5</b>	<b>Conclusion</b>	<b>20</b>
<b>6</b>	<b>Acknowledgments</b>	<b>20</b>

## 1. Introduction

### 1.1. Preliminaries

Table 1 contains a list of some recent survey publications on 5G challenges/key technologies and related system issues. This paper focuses on combinatorial framework/approach for the analysis and composition of 5G communication technology improvement activities based on optimization.

A literature survey on the 5G challenges is presented. In addition, aggregation/hierarchical forecasting schemes are briefly described. In the paper, combinatorial framework for improvement/forecasting of modular systems is proposed as follows:

- (1) hierarchical (tree-like) model of the examined system (here: 5G communication technology challenges system);
- (2) assessment of improvement actions as 5G challenges/key enabling technologies; and
- (3) evaluation and selection of 5G improvement actions (i.e., challenges/key enabling technologies) and composition of the prospective actions above into the composite 5G improvement system (i.e., hierarchical morphological design 'bottom-up').

The considered example of composite 5G challenge system is based on the usage of optimization approaches (e.g., location, allocation, placement, scheduling, convex optimization, mixed integer programming). Hierarchical morphological design method is used in the example.

Fig. 1 illustrates the scheme of the research. The scheme components are based on heuristic (engineering) methods.




Fig. 1. General scheme of selection and composition of 5G improvement

### 1.2. Evolution of communication technologies

It is reasonable to point out, that evolution of communication systems generations (engineering descriptions, modeling) has been considered as a prospective topic for research, for example [103]: 1G (Voice Service), 2G (Voice + Text messages), 3G (Integrated Mobile and Internet), 4G (High Capacity Multi-media), 5G (Wireless World Wide Web). A list of some recent studies in evolution of communication systems is contained in Table 2.

## 2. Technology challenges

Table 3 contains four lists of challenges for 5G technology and CloudIoT which have been pointed out in basic recent literature sources.

**Table 1.** Recent survey publications on 5G systems (challenges/key technologies, related issues)

No.	Research	Sources
I.	Surveys and paradigms: 1.1. 5G Internet of Things (surveys) 1.2. 5G mobile communication technology (surveys) 1.3. Surveys on device-to-device (D2D) communication 1.4. Cloud computing (surveys: architecture, mobile computing, etc.) 1.5. Survey on mobile edge computing 1.6. Fog computing 1.7. Software-defined networking paradigms in wireless networks (surveys) 1.8. UltraDense networks (new wireless frontier for enabling 5G access) 1.9. Next generation 5G wireless networks (comprehensive survey) 1.10. 5G channel measurements and models (survey) 1.11. Wireless communication paradigm through software-controlled metasurfaces	[178,225] [210,304] [27,104] [94,152,159] [202,285] [1,12,199] [188,271] [136,156] [114] [8] [21,293] [183,184]
II.	Architecture issues: 2.1. Survey of 5G networks: architecture and emerging technologies 2.2. 5G radio access network architecture 2.3. Centralized network architecture for 5G mobile communication systems 2.4. Big data network architecture and monitoring use wireless 5G technology 2.5. Architecture for Fog computing 2.6. Wireless heterogeneous networks (e.g., for mobile cloud computing) 2.7. D2D-based heterogeneous radio access network architecture (for mobile cloud computing) 2.8. Ultra-dense network (UDN) architecture and technologies for 5G 2.9. Architecture for software defined wireless networking 2.10. SDN/NFV-based mobile packet core network architecture (survey)	[118] [201] [237] [143] [188] [57,163] [139] [61] [46] [222]
III.	Challenges and key technologies: 3.1. 10 key enabling technologies for 5G 3.2. 5G cellular: key enabling technologies and research challenges 3.3. Key challenges for the radio-access network (5G on the horizon) 3.4. Challenges in 5G (how to empower SON with big data for enabling 5G) 3.5. Emerging technologies and research challenges for 5G wireless networks 3.6. Basic list of challenges for 5G systems 3.7. Key technologies for 5G wireless communication networks 3.8. Challenges from the viewpoint of integration of IoT and cloud computing (CloudIoT) 3.9. Novel radio technology for 5G (e.g., multiple access) 3.10. D2D communication in 5G cellular networks (challenges and future directions) 3.11. Network virtualization: research challenges 3.12. Dense moving fog for intelligent IoT (key challenges and opportunities) 3.13. Five disruptive technology directions for 5G	[17] [129] [82] [135] [64] [227] [283] [51] [213] [273] [67] [26] [50]
IV.	Special system issues (including optimization, AI approaches) : 4.1. Integration approach: IoT, cloud computing, Fog computing, big data, etc. 4.2. Regulatory, standardization and industrial perspectives (survey of 5G technologies) 4.3. Network function virtualization (management and orchestration, research challenges) 4.4. Dynamic resource and task allocation (energy minimization in mobile cloud systems) 4.5. Enabling intelligence in fog computing (to achieve energy and latency reduction) 4.6. AI methods for traffic management in 5G wireless networks 4.7. Traffic optimization for IoT 4.8. Intelligent network optimization in wireless networking 4.9. Network planning with robust optimization 4.10. Cost optimal design for 5G mobile core network based on SDN and NFV 4.11. Controller placement problem in software defined networking (survey) 4.12. AI for 5G: research directions and paradigms 4.13. Dual connectivity support in 5G networks (SDN based approach)	[48,83] [213] [121,203,204] [159] [160] [99] [98] [323] [41] [38] [291] [315] [267]

**Table 2.** Some researches in evolution of communication systems generations

No.	Research	Sources
I.	Engineering descriptions of system generations and evolution: 1.1. Evolution of mobile wireless communication networks (1G, 2G, 3G, 4G, 5G) 1.2. Evolution of technology generations (1G, 2G, 3G, 4G, 5G) 1.3. Evolution of wireless technologies (1G, 2G, 2.5G, 3G, 3.5G, 4G, 5G) (architecture and emerging technologies) 1.4. Historical evolution (architecture issues) 1.5. Evolution path of 4G networks 1.6. Evolution of power trends in 5G networks (1G, 2G, 3G, 4G, 5G) 1.7. Evolution and challenges of DNS-based CDNs 1.8. Evolving privacy: from sensors to IoT 1.9. Evolution toward 5G multi-tier cellular wireless networks (interference management perspective) 1.10. Radio network evolution 1.11. Evolution of LTE technology 1.12. Evolution of HetNet architecture	[254] [103,258] [118]  [257] [54] [3] [294] [192] [128]  [8] [225] [33]
II.	Combinatorial modeling of modular system generations and their evolution: 2.1. Combinatorial evolution of communication system generations 2.2. Combinatorial evolution of requirements to communications systems (example) 2.3. Combinatorial evolution of communication protocol ZigBee 2.4. Combinatorial evolution of standard for multimedia information (MPEG, MPEG-2, MPEG-4)	[168,170] [169] [167,172] [171]

**Table 3.** Basic challenges for 5G technology and CloudIoT

No.	Research	Sources
I.	5G total technology challenges: 1.1. Mobile computing for 5G (from clouds to edges) 1.2. Challenges on wireless heterogeneous networks for mobile cloud computing 1.3. Content caching techniques for 5G systems 1.4. Mobile edge computing, fog et al. 1.5. Opportunities and challenges of software-defined mobile networks in network security 1.6. Mobile cloud computing applications: perspectives and challenges 1.7. Mobile edge computing: challenges for future virtual network embedding algorithms 1.8. Research opportunities (Fog and IoT) 1.9. Interference management for D2D communication and its challenges in 5G networks 1.10. Usage of intelligent techniques (data analytics, machine learning, optimization, multi-agent learning, etc.)	[197,199] [163] [39,284] [242] [190] [285] [44] [62] [224] [160]
II.	Basic list of challenges for 5G systems: (1) data rates and network capacity expansion with energy optimization; scalability and flexibility (HetNets); (3) single channel for both UL and DL (duplex channel); (4) handling interference (HetNets, CRNs, full duplex, D2D communication); (5) environmentally friendly Cloud-RAN (C-RAN), visual light communication (VLC), mmWave, separation of indoor and outdoor users, D2D communication, mMIMO architecture, full duplex radio; (6) low latency and high reliability (caching methods, VLC, mmWave, mMIMO, fast handover techniques, D2D communication); (7) network performance optimization; (8) economic impacts; (9) high mobility and handoff solutions (e.g., inter-tier, intra-tier and multi-RATs handoff mechanisms and mechanism for secure handoff); (10) Self-healing infrastructures; (11) QoS; (12) Security and privacy of the network and UEs	[227]
III.	Challenges from the viewpoint of integration of IoT and cloud computing (CloudIoT): (1) security and privacy; (2) heterogeneity; (3) performance; (4) reliability; (5) large scale; (6) legal and social aspects; (7) big data analytics; (8) sensor networks; (9) monitoring; (10) Fog computing.	[51]
IV.	Key enabling technologies in 5G-IoT: (1) 5G and IoT architecture: data plane, control plane; (2) wireless network function virtualization; (3) heterogeneous networks (4) direct D2D; (5) advanced spectrum sharing and interference management; millimeter Wave (mmWave); (7) mobile edge computing; (8) narrowband IoT; (9) optimization and AI methods (optimization, machine learning, artificial NNs).	[178]

## 2.1. Resources, requirements and criteria

It may be reasonable to point out some basic resources in contemporary communication systems, for example: (a) time, (b) energy, (c) spectrum , and (d) cost. Evidently, the usage (sharing) of the resources can be improved by the optimization approaches. The list of the corresponding engineering design/management problems involves the following: (1) sharing/location/allocation (e.g., devices, channels, frequency, energy), (2) caching, (3) configuration/reconfiguration (e.g., network topology), (4) adaptation (e.g., utilization modes), and (5) selection of the best modes/components/subsystems: selection of radio access technology, network node(s) (relay node(s), devices, channel, basic station, cloud, data center, access network, handoff/handover strategies, etc.

An evolution process of requirements for communication systems has been examined in [169]. The list of key requirements for 5G communication technology has been described in [17,75]: (1) high data rates, (2) low latency, (3) low energy consumption, (4) high stability, (5) improved connectivity and reliability, and (6) improved security. The main network quality criteria (criteria or objective functions, e.g., for optimization) are the following [283]: (i) peak data rate, (ii) geographical area coverage, (iii) spectral efficiency, (iv) QoS, (v) QoE, (vi) easy of connectivity, (vii) energy-efficiency, (viii) latency, (ix) reliability, (x) fairness of users, and (xi) implementation complexity, (xii) system lifetime (maximization).

## 2.2. Key enabling technologies for 5G

The list of key enabling technologies for 5G has been suggested and described in [17].

An integrated and extended list of key enabling technologies for 5G is presented (Table 4). Here, a special attention is targeted to the usage of optimization approaches.

**Table 4.** Key enabling technologies for 5G, part 1

No.	Enabling technology	Sources
1.	Internet of Things (IoT):	
1.1.	Surveys and general papers:	
1.1.1.	Internet of Things (IoT) (architecture, future directions, evolution)	[19,31,117,208,240]
1.1.2.	IoT and cloud computing (survey, principles)	[51,278]
1.1.3.	Integration of cloud computing and IoT - CloudIoT (surveys, challenges, open issues, IoT cloud platforms)	[51,83,240]
1.1.4.	Context aware computing for the Internet of Things (survey)	[234]
1.1.5.	Internet of Things resource management (survey)	[69]
1.1.6.	Big data analytics in IoT	[11,239,252]
1.1.7.	Key enabling technologies in 5G-IoT	[178]
1.1.8.	AI for 5G (research directions and paradigms)	[315]
1.2.	Usage of optimization approaches:	
1.2.1.	IoT-Cloud service optimization in next generation smart environments	[35]
1.2.2.	Optimization approach for adaptive monitoring in IoT environments	[272]
1.2.3.	Optimization of non-functional properties in Internet of Things applications	[221]
1.2.4.	Adaptive MCS selection and resource planning for energy-efficient communication in IoT sensing platform	[77]
1.2.5.	Graph based M2M optimization in an IoT environment	[229]
1.2.6.	Content centric networking (CNN) traffic optimization for IoT	[98]
1.2.7.	Relay selection for inter-cell interference avoidance in 5G HetNets for IoT	[79]
1.2.8.	Task allocation in IoT (evolutionary approach, consensus based approach, etc.)	[72,150]
1.2.9.	Maximum throughput and optimal power allocation in wireless powered sensor networks for IoT	[70]

**Table 4.** Key enabling technologies for 5G, part 2

No.	Enabling technology	Sources
2.	Device-To-Device (D2D) Communications:	
2.1.	General issues (surveys, architecture, challenges, future directions, etc.):	
2.1.1.	D2D-based heterogeneous radio access network architecture for mobile cloud computing	[139]
2.1.2.	Machine-type communications (future perspectives toward 5G systems)	[253]
2.1.3.	D2D communication in 5G cellular networks (survey, challenges, future directions)	[27,146,273]
2.1.4.	D2D communication in cellular networks (survey)	[103]
2.1.5.	Interference management for D2D communication and its challenges in 5G networks (survey)	[224]
2.1.6.	D2D communication (architecture and security issues) (survey)	[104]
2.1.7.	Design aspects of the network assisted D2D communications	[97]
2.2.	Special issues:	
2.2.1.	Device-to-device communication as an underlay to LTE-advanced networks	[88]
2.2.2.	Software defined D2D communications in virtual wireless networks	[53]
2.2.3.	D2D communication in smart cities	[176]
2.2.4.	Reciprocal-selection-based 'Win-Win' overlay spectrum-sharing scheme for D2D-enabled cellular network	[177]
2.3.	Usage of optimization approaches:	
2.3.1.	Resource management in D2D communication (optimization perspective)	[10]
2.3.2.	Resource allocation algorithms for D2D communication	[103,116]
2.3.3.	Sector-based radio resource allocation in D2D communication	[105]
2.3.4.	Interference and throughput aware resource allocation for multi-class D2D (5G networks)	[93]
2.3.5.	Energy efficient power allocation for underlaying mobile D2D communications	[322]
2.3.6.	Joint mode selection and resource allocation for D2D communications	[317]
2.3.7.	Resource sharing optimization for D2D communication underlaying cellular networks	[316]
2.3.8.	Uplink resource allocation/power allocation for D2D (multi-cell mobile networks)	[91]
2.3.9.	Optimal QoS-aware channel assignment for D2D communications	[288,289]
2.3.10.	Resource allocation (e.g., channel assignment) in D2D communication (game theory)	[147,173]
2.3.11.	Resource allocation for D2D communications (multi-armed bandit problem)	[219]
3.	Radio Access Techniques:	
3.1.	General issues:	
3.1.1.	5G radio access network architecture: design guidelines and key considerations	[201]
3.1.2.	State model for 5G radio access networks	[76]
3.1.3.	Fog radio access networks	[271]
3.2.	Access in cloud radio 5G networks:	
3.2.1.	System architecture and key technologies for 5G heterogeneous cloud radio access networks	[230]
3.2.2.	Radio access network evolution in cloud mobile networks	[280]
3.2.3.	Cloud radio access network (C-RAN)	[303]
3.2.4.	Nonorthogonal multiple access in 5G systems:	
3.2.4.1.	Uplink nonorthogonal multiple access in 5G systems	[321]
3.2.4.2.	Non-orthogonal random access for 5G networks	[181]
3.2.4.3.	Uplink and downlink non-orthogonal multiple access (NOMA) systems (dynamic user clustering and power allocation)	[20]
3.3.	Virtual RATs and a flexible and tailored radio access network evolving to 5G	[59]
3.4.	Flexible 5G radio access networks (cloud technologies)	[243]
3.5.	Usage of optimization approaches:	
3.5.1.	Dynamic user clustering and power allocation (non-orthogonal multiple access (NOMA) systems)	[20]
3.5.2.	Energy efficient maximized resource allocation for opportunistic relay-aided OFDMA	[292]
3.5.3.	Use of self-organizing networks to optimize radio access networks	[266]
3.5.4.	Joint resource allocation for parallel multi-radio access in wireless HetNets	[65]
3.5.5.	Serviceability maximization in Fog radio access networks (adaptive resource balancing)	[78]
3.5.6.	Virtualized radio access networks: centralization allocation and positioning of resources	[261]

**Table 4.** Key enabling technologies for 5G, part 3

No.	Enabling technology	Sources
4.	Wireless Software Defined Networking (W-SDN): General issues: 4.1.1. SoftAir: A software defined networking architecture for 5G wireless systems 4.1.2. Wireless software-defined networks (W-SDNs) and network function virtualization (NFV) for 5G cellular systems 4.1.3. Software-defined networking (comprehensive survey) 4.1.4. Mobile SDNs (surveys) 4.1.5. Opportunities and challenges of software-defined mobile networks in network security 4.1.6. Energy efficient topology management in software defined wireless sensor network (SD-WSN) 4.1.7. Adaptive resource management and control in SDNs 4.1.8. SDN/NFV-based mobile packet core network architecture (survey)	[15] [16] [156] [182,233] [190] [84] [279] [222]
4.2.	Usage of optimization approaches: 4.2.1. Cost optimal design for 5G mobile core network based on SDN and NFV 4.2.2. Placement of controllers in SDNs 4.2.3. Multiple spectra allocation based on wireless SDNs 4.2.4. Routes replacement in SDN	[38] [2,130,157,291] [290] [86]
5.	Network Function Virtualization: General issues: 5.1.1. Surveys of network virtualization 5.1.2. Network function virtualization (challenges and opportunities for innovation) 5.1.3. Network function virtualization (state-of-the art and research challenges) 5.1.4. Management and orchestration challenges in network functions virtualization 5.1.5. Wireless software-defined networks (W-SDNs) and network function virtualization (NFV) for 5G cellular systems 5.1.6. Network Function Virtualization networking 5.1.7. 5G wireless network virtualization: architecture and trial environment 5.1.8. Mobile virtual private networks (VPN) technologies (survey) 5.1.9. SDN/NFV-based mobile packet core network architecture (survey)	[16] [68,180] [121] [203] [204] [16] [194] [92] [23] [222]
5.2.	Usage of optimization approaches: 5.2.1. Cost optimal design for 5G mobile core network based on SDN and NFV 5.2.2. Resource allocation in network function virtualization 5.2.3. Functions placement problem (applying NFV and SDN to LTE mobile core gateways) 5.2.4. Joint VNF placement and resource allocation in 5G (including vertical services) 5.2.5. Deploying chains of virtual network functions 5.2.6. Delay-aware VNF placement and chaining based on flexible resource allocation approach 5.2.7. Resource allocation in NFV (comprehensive survey) 5.2.8. Placement of virtual mobile functions over cloud infrastructure 5.2.9. Optimal placement of virtualized cellular network functions 5.2.10. User mobility-aware virtual network function placement for virtual 5G network infrastructure 5.2.11. Combined virtual core network function placement and topology optimization 5.2.12. Multi-step model for migration and resource reallocation in virtualized network infrastructure	[38] [287] [37] [6,7] [158] [22] [125] [87] [262] [268] [42,43] [149]

**Table 4.** Key enabling technologies for 5G, part 4

No.	Enabling technology	Sources
6.	Big Data & Mobile Cloud Computing:	
6.1.	Surveys, general papers:	
6.1.1.	Mobile cloud computing (survey)	[94]
6.1.2.	Communicating while computing: distributed mobile cloud computing over 5G heterogeneous networks	[34]
6.1.3.	Challenges in 5G: how to empower SON with big data for enabling 5G	[135]
6.1.4.	Big data network architecture and monitoring use wireless 5G technology	[143]
6.1.5.	Mobile cloud computing application models (survey)	[152]
6.1.6.	Cloud assisted HetNets toward 5G wireless networks	[320]
6.1.7.	Radio access network evolution in cloud mobile networks	[280]
6.1.8.	Wireless heterogeneous networks for mobile cloud computing	[163]
6.1.9.	Energy-efficient fault tolerant data storage and processing in mobile cloud	[58]
6.1.10.	Dynamic energy-aware cloudlet-based mobile cloud computing model for green computing	[100]
6.2.	Usage of optimization approaches:	
6.2.1.	DREAM: Dynamic resource and task allocation for energy minimization in mobile cloud systems	[159]
6.2.2.	Inter-layer per-mobile optimization of cloud mobile computing: (message-passing approach)	[151]
6.2.3.	Joint optimization of radio and computational resources for multicell mobile cloud computing	[250]
6.2.4.	Energy-aware task assignment for mobile cyber-enabled applications in heterogeneous cloud computing	[101]
6.2.5.	Secure optimization in cloud computing (optimization)	[286]
6.2.6.	Cooperative resource management in mobile cloud computing	[144,318]
6.2.7.	Service placement and load dispatching in mobile cloud systems	[310]
6.2.8.	Optimization using swarm intelligence and dynamic graph partitioning in IoE infrastructure: Fog computing and cloud computing (optimization: (i) connection issues as time delay, network congestion, (ii) bandwidth, (iii) capabilities)	[217]
6.2.9.	Resource allocation for efficient management of data centers for cloud computing	[45]
6.2.10.	Optimal allocation of virtual resources in cloud computing networks	[228]
7.	Mobile edge computing:	
7.1.	Surveys, general papers:	
7.1.1.	Mobile edge computing (survey, analysis, challenges)	[242]
7.1.2.	Collaborative mobile edge computing in 5G networks (new paradigms, scenarios, and challenges)	[277]
7.1.3.	Mobile edge computing (MEC) (communication perspective)	[199]
7.1.4.	Mobile edge computing (survey and research outlook)	[1,197]
7.1.5.	Dynamic computation offloading for mobile-edge computing with energy harvesting devices	[196]
7.1.6.	Promise of edge computing	[255]
7.1.7.	Mobile-edge computing in smart homes	[281]
7.1.8.	Mobile-edge computing architecture (the role of MEC in the IoT)	[246]
7.1.9.	Edge computing aware NOMA for 5G networks	[154]
7.2.	Usage of optimization approaches:	
7.2.1.	Joint optimization of radio and computational resources for multicell mobile-edge computing	[214]
7.2.2.	Hierarchical mobile edge computing (auction-based profit maximization approach)	[153]
7.2.3.	Joint task offloading scheduling and transmit power allocation for mobile-edge computing systems (flow shop scheduling, convex optimization)	[198]
7.2.4.	Delay-optimal computation task scheduling for mobile-edge computing systems	[186]
7.2.5.	Task offloading, load balancing, resource allocation in mobile edge computing enabled IoT networks	[179]

**Table 4.** Key enabling technologies for 5G, part 5

No.	Enabling technology	Sources
8.	Green Communications:	
8.1.	General issues (principles, architecture, etc.):	
8.1.1.	Green Communications. Principles, Concepts and Practice	[247]
8.1.2.	Energy efficient 5G green network with planned multi-tier architecture	[258]
8.1.3.	Green data centers	[138]
8.1.4.	Green cloudlet network (distributed green mobile cloud network)	[265]
8.1.5.	Dynamic energy-aware cloudlet-based mobile cloud computing model for green computing	[100]
8.2.	Usage of optimization approaches:	
8.2.1.	Optimization of green energy utilization for cellular networks (hybrid energy supplies)	[120]
8.2.2.	Energy-efficient mobile network design and planning (optimization of cell size, optimization of cell parameters)	[236]
8.2.3.	Energy-efficient mobile network design and planning (adaptive strategies to change the network layout, re-location)	[236]
8.2.4.	Optimal stopping problem (delay-tolerant cognitive cellular networks)	[325]
8.2.5.	Green routing/switiching	[63]
8.2.6.	Optimization routing algorithm for green communication in underground mines	[307]
8.2.7.	Dynamic resource provisioning for energy efficiency in wireless access networks (cluster-based approaches, etc)	[52]
8.2.8.	Resource allocation for green cognitive radios (energy efficiency maximization)	[312]
8.2.9.	Power Optimization in 5G networks (green communication)	[3]
8.2.10.	Joint power allocation&relay selection strategy for 5G network (green communication)	[4,110]
9.	Massive MIMO:	
9.1.	Surveys, general papers:	
9.1.1.	Massive MIMO for next generation wireless systems	[162]
9.1.2.	Overview of massive MIMO: benefits and challenges	[193]
9.1.3.	MIMO for millimeter-wave wireless communications: beamforming, spatial multiplexing	[263]
9.1.4.	MIMO techniques in WiMAX and LTE (feature overview)	[174]
9.1.5.	Realizing ultra-massive MIMO communication in the (0.06-10) terahertz band	[18]
9.1.6.	Full-dimension MIMO (FD-MIMO) for next generation cellular technology	[216]
9.1.7.	Spatial domain management and massive MIMO coordination in 5G SDN	[264]
9.1.8.	Multiuser MIMO HetNets	[175]
9.1.9.	Pilot power allocation through user grouping in multi-cell massive MIMO systems	[187]
9.1.10.	Multipath multihop mmWave backhaul in ultra-dense small-cell network	[245]
9.2.	Usage of optimization approaches:	
9.2.1.	Global energy efficiency (EE) optimization of massive MIMO systems	[185]
9.2.2.	Global energy efficiency optimization for wireless-powered massive MIMO aided multiway AF relay networks	[270]
9.2.3.	Optimal design of energy-efficient multi-user MIMO systems	[49]
9.2.4.	Energy efficient power allocation massive MIMO:	
9.2.4.1.	Energy efficient power allocation algorithm for downlink massive MIMO	[324]
9.2.4.2.	Power allocation optimization for energy efficient massive MIMO aided multi-pair decode-and-forward relay systems	[269]
9.2.4.3.	Energy-efficient power control algorithms in massive MIMO cognitive radio networks (maximum network energy efficiency (EE), nonlinear differentiable fractional programming problem)	[74]
9.2.5.	Energy-efficient resource allocation in ultra-dense networks with massive MIMO	[311]
9.2.6.	Energy-efficient resource allocation for wireless powered massive MIMO system with imperfect channel estimation (CSI) (optimal power and time allocation, nonlinear fractional programming)	[55]
9.2.7.	Throughput optimization for massive MIMO systems powered by wireless energy transfer	[308]
9.2.8.	Cell coverage optimization for the multicell massive MIMO uplink	[137]
9.2.9.	Power optimization using massive MIMO and small cells approach in different deployment scenarios	[119]
9.2.10.	Sum rate maximization in massive MIMO two-way relay networks	[148,215]

**Table 4.** Key enabling technologies for 5G, part 6

No.	Enabling technology	Sources
10.	Ultra-Densification (Ultra-dense networks UDNs):	
10.1.	General issues (surveys, architecture, challenges, future directions, etc.):	
10.1.1.	Network densification: the dominant theme for wireless evolution into 5G	[47]
10.1.2.	UDN architecture and technologies for 5G	[61]
10.1.3.	5G ultra-dense cellular networks	[25,109]
10.1.4.	User-centric UDN for 5G (challenges, methodologies, directions)	[60]
10.1.5.	Survey on UDNs and emerging technologies (security challenges)	[66]
10.1.6.	5G multi-RAT LTE-WiFi ultra-dense small cells (performance dynamics, architecture, trends)	[102]
10.1.7.	Ultra-dense small cell deployments (1 Gbps/UE in cellular systems)	[191]
10.1.8.	Hyper-dense heterogeneous and small cell networks	[131]
10.1.9.	Energy efficient mobility management in dense small cells with mobile edge	[306]
10.1.10.	Content delivery over ultra-dense networks	[326]
10.1.11.	UDNs in millimeter-wave frequencies	[32]
10.1.12.	Ultra-dense multiuser networks	[189]
10.1.13.	Multipath multihop mmWave backhaul in ultra-dense small-cell network	[245]
10.1.14.	UltraDense networks: The new wireless frontier for enabling 5G access	[114]
10.2.	Usage of optimization approaches:	
10.2.1.	Joint optimization of resource management and interference control in UDNs	[60]
10.2.2.	Mobility robustness optimization in intra-frequency 5G ultra dense networks	[274]
10.2.3.	Energy efficiency maximization in dense small cell networks	[312]
10.2.4.	Energy-efficient resource allocation in ultra-dense networks with massive MIMO	[311]
10.2.5.	Cooperative distributed optimization for the hyper-dense small cell deployment	[305]
11.	Millimeter Wave & Terahertz band:	[112,238,263]
11.1.	Surveys, general papers:	
11.1.1.	Millimeter-wave beamforming as enabling technology for 5G cellular communications: theoretical feasibility and prototype results	[241]
11.1.2.	Terahertz band (next frontier for wireless communications)	[13]
11.1.3.	TeraNets (ultra-broadband communication networks in the terahertz band)	[14]
11.1.4.	Multi-ray channel modeling and wideband characterization for wireless communications in the terahertz band	[122]
11.1.5.	Multi-wideband waveform design for distance-adaptive wireless communications in the terahertz band	[123]
11.1.6.	High power terahertz and millimeter-wave oscillator design (systematic approach)	[211]
11.1.7.	UDNs in millimeter-wave frequencies	[32]
11.1.8.	Modulation for terahertz band communication in nanonetworks	[141]
11.1.9.	Energy-harvesting nanonetworks in terahertz band	[314]
11.1.10.	Channel modeling and capacity analysis for wireless nanonetworks in the terahertz band	[140]
11.1.11.	Performance analysis of nanosensor networks at THz frequencies	[5]
11.1.12.	Low-latency HetNets with millimeter-wave communications	[309]
11.1.13.	5G new radio capabilities for directional access at mmWave frequencies	[249]
11.2.	Usage of optimization approaches:	
11.2.1.	Scheduling in dynamic duplex multihop mmWave cellular systems	[106]
11.2.2.	Joint parameter optimization for perpetual nanonetworks and maximum network capacity	[313]
11.2.3.	Alternative minimization for hybrid precoding in millimeter wave MIMO systems	[319]
11.2.4.	QoS-aware full-duplex concurrent scheduling for mmWave wireless backhaul networks	[85]

### 3. Note on aggregate/hierarchical forecasting

In recent decades, the significance of technological forecasting methods for complex modular systems has been increased. It may be reasonable to point out some basic approaches in this domain. here, a special attention is targeted to aggregate/hierarchical forecasting methods. The following objects of the forecasting processes can be examined: (a) value, (b) value vector, (c) structure or system structure (e.g., chain, tree, graph, morphological structure). It is reasonable to point out basic forecasting approaches/schemes:

*Scheme 1.* Forecasting of a value (on the basis of value sequence/stream  $a(\tau_1), a(\tau_2), \dots, a(\tau_n)$ , the resultant forecast:  $a^f$ , Fig. 2).

*Scheme 2.* Aggregation of initial values  $a_1, a_2, \dots, a_n$ , the resultant aggregated value:  $a^a$ , (Fig. 3);

*Scheme 3.* Two-stage forecasting-aggregation scheme:

(3.1) forecasting of a value on the basis of value sequencesstreams: stream 1:  $a^1(\tau_1), a^1(\tau_2), \dots, a^1(\tau_n)$ , stream 2:  $a^2(\tau_1), a^2(\tau_2), \dots, a^2(\tau_n)$ , ..., stream 1:  $a^m(\tau_1), a^m(\tau_2), \dots, a^m(\tau_n)$ ; the obtained forecasts for the streams are:  $a^{1f}, a^{2f}, \dots, a^{mf}$ ;

(3.2) aggregation of the obtained forecast-values, the obtained resultant forecast is:  $a^{fa}$  (Fig. 4);

*Scheme 4.* Two-stage aggregation-forecasting scheme:

(4.1) aggregation of the initial streams into the resultant aggregated stream  $a^a(\tau_1), a^a(\tau_2), \dots, a^a(\tau_n)$ ;

(4.2) forecasting of a value (based on the obtained aggregated value stream), the result:  $a^{af}$  (Fig. 5).

Concurrently, close research efforts in aggregate/hierarchical forecasting approaches/research directions are briefly pointed out as well (a brief literature survey and taxonomy, Table 5).




Fig. 2. Basic forecasting scheme




Fig. 3. Simplified aggregation scheme




Fig. 4. Two-stage forecasting-aggregation scheme




Fig. 5. Two-stage aggregation-forecasting scheme

**Table 5.** Research directions in aggregate/hierarchical forecasting, part 1

No.	Research direction	Sources
I.	Hierarchical forecasting:	
1.1.	Hierarchical forecasting (issues and use guidelines)	[96]
1.2.	Integrated hierarchical forecasting	[232]
1.3.	Combination of aggregate forecasting with the bottom-up forecasting (stochastic/statistical approach)	[259]
1.4.	Forecasting with temporal hierarchies (for time series forecasting)	[30]
1.5.	Determining an optimal hierarchical forecasting model	[218]
1.6.	Hierarchical forecasts for tourism	[29]
1.7.	Effect of correlation between demands on hierarchical forecasting	[56]
1.8.	Optimally reconciling forecasts in a hierarchy	[133]
1.9.	Top-down versus bottom-up forecasting strategies	[251]
1.10.	Effectiveness of top-down strategy for forecasting autoregressive demands	[299]
1.11.	Analytical evaluation of top-down versus bottom-up forecasting (in production planning framework)	[300]
1.12.	Development of hierarchical forecasting method for predicting spare parts demand	[212]
1.13.	Revisiting top-down versus bottom-up forecasting	[145]
1.14.	Fast computation of reconciled forecasts for hierarchical and grouped time series	[134]
1.15.	Modified top-down approach for hierarchical forecasting in a beverage supply chain (modification of top-down approach)	[209]
II.	Combination of forecasts:	
2.1.	Combining forecasts (reviews, issues, annotated-bibliography)	[71,226,275]
2.2.	Combination of forecasts (basic methods)	[36,40,220]
2.3.	Combining exponential smoothing forecasts using Akaike weights	[155]
2.4.	Optimal forecast combinations:	
2.4.1.	Optimal forecast combinations under general loss functions and forecast error distributions	[89]
2.4.2.	Optimal forecast combination under regime switching	[90]
2.4.3.	Optimal combination forecasts for hierarchical time series	[132]
2.5.	Bayesian and non-Bayesian methods for combining models and forecasts	[207]
2.6.	Forecast combinations for intermittent demand	[235]
2.7.	Sensitivity of weights in combining forecasts	[302]
2.8.	Aggregation, disaggregation and combination of forecasts	[295]
2.9.	Combination of long term and short term forecasts	[24]
2.10.	Combination of forecasts using self-organizing algorithms	[124]
2.11.	Selecting among forecasts and their combinations	[127]
2.12.	Benchmarking approach to forecast combination	[276]
2.13.	Nonstationarity on combined forecasts	[205]
2.14.	Combined forecast-inventory control procedure for spare parts	[126]
III.	Aggregate (disaggregate) forecasting (including consensus forecast):	
3.1.	Aggregation and proration in forecasting	[256]
3.2.	Aggregating subjective forecasts (empirical results)	[28]
3.3.	Aggregatedisaggregate approach to forecasting	[223]
3.4.	Demand forecasting by temporal aggregation	[244]
3.5.	Temporal aggregation on estimates and forecasts of fractionally integrated processes (Monte-Carlo study)	[260]
3.6.	Aggregation, disaggregation and combination of forecasts	[295]
3.7.	Aggregation, disaggregation and forecasting performance	[327]
3.8.	Bayesian consensus forecasts of macroeconomic variables	[9]
3.9.	Averages of forecasts	[142,195]
3.10.	Aggregate variable time series forecast strategies with specific subaggregate time series statistical correlation	[95]

**Table 5.** Research directions in aggregate/hierarchical forecasting, part 2

No.	Research direction	Sources
IV.	Composite and special methods:	
4.1.	Integrating judgmental forecasts with statistical methods	[113]
4.2.	Combination of aggregate forecasting with the bottom-up forecasting (stochastic/statistical approach)	[259]
4.3.	Optimal forecasting groups	[161]
4.4.	Forecasting hierarchical and grouped time series through trace minimization	[296]
4.5.	Aggregation and combined forecasting to improve seasonal demand forecasts	[81]
4.6.	Disaggregation methods to expedite product line forecasting	[115]

In addition, it is reasonable to point out a list of research in evaluation/comparison/selection of forecast methods (Table 6).

**Table 6.** Evaluation / comparison / selection of forecast methods

No.	Research	Sources
1.	Evaluating forecast performance in an inventory control system	[107]
2.	Evaluation of forecasting methods for intermittent parts demand in the field of aviation (a predictive model)	[111]
3.	Comparison of alternative forecasting strategies for multi-stage production-inventory systems	[206]
4.	Selecting the best periodic inventory control and demand forecasting methods for low demand items	[248]
5.	Analytical evaluation of top-down versus bottom-up forecasting in a production planning framework	[300]
6.	Effectiveness of top-down strategy for forecasting autoregressive demands	[297]
7.	Evaluation of hierarchical forecasting for substitutable products	[298]
8.	Analytical evaluation of top-down versus bottom-up forecasting in a production planning framework	[301]
9.	Impact of aggregation level on forecasting performance	[328]
10.	Comparative study of demand forecasting techniques for military helicopter spare parts	[200]

Evidently, the considered four forecasting schemes can be used for other objects (i.e., value vector, system structure) as well. A simplified scheme for forecasting of structure stream is depicted in Fig. 6 [166,167,168,169,170,172].

Here, the system structure consists of its parts/components and their relations (i.e., a graph model  $G(A, E)$  where  $A$  is the set of system components,  $E$  is the set of edges/arcs). Thus, the initial system structure stream is:  $\langle G_{\tau_1}, G_{\tau_2}, \dots, G_{\tau_n} \rangle$ .

The considered forecasting procedure is based on the following stages:

*Stage 1.* generation of a set of system improvement operations (e.g., for the next system generation) (on the basis of an analysis of system structure stream).

*Stage 2.* Selecting a subset of system improvement operations.

*Stage 3.* Synthesis of the system forecast as a composition of the best (more prospective) system improvement operations. As a result, a set of  $k$  Pareto-efficient solutions can be obtained:  $G_1^f, G_2^f, \dots, G_k^f$ .

Here, two combinatorial optimization models can be used: knapsack line problem, morphological clique problem (e.g., while taking into account their compatibility).

*Stage 4.* Aggregation of the Pareto-efficient system (i.e., system structure) forecasts to obtain the resultant aggregated system (i.e., system structure) forecast  $G^{af}$ .




Fig. 6. Simplified scheme for forecasting of structure stream

#### 4. Example of composite challenge system

##### 4.1. General composite 5G challenge system

A hierarchical structure of composite 5G challenge system is shown in Fig. 7. Note it is reasonable to conduct a special study to design the 5G hierarchical structure (or an ontology of 5G challenges).




Fig. 7. General hierarchical structure of composite 5G challenge system

##### 4.2. Basic auxiliary optimization approaches

It may be reasonable to point out the set of basic auxiliary optimization approaches (i.e., models, problems, frameworks) which are used in 5G communication technologies and their improvements (obtained in the basis of literature from Table 3 and Table 4) (e.g., [73,108,167]):

- (1) knapsack problem, its modifications (e.g., multicriteria problems, problems under uncertainty, dynamical problems);
- (2) multicriteria selection, prioritization;
- (3) multiple choice problem, its versions (e.g., multicriteria problems, problems under uncertainty, dynamical problems);
- (4) location/allocation/placement problems (e.g., generalized problems, multicriteria problems, problems under uncertainty, dynamical problems);
- (5) coverage problems (e.g., multicriteria problems, problems under uncertainty, dynamical problems);
- (6) routing problems;
- (7) auction problems;
- (8) clique problem, its versions (e.g., morphological clique problem);
- (9) nonlinear fractional programming problems;
- (10) convex optimization;
- (11) mixed integer linear programming; and
- (12) mixed integer nonlinear programming.

##### 4.3. Morphological design

here, the combinatorial framework (as combinatorial modular morphological design) is based on Hierarchical Multicriteria Morphological Design method (HMMD) that has been described in (e,g., [164,165, 167]). A basic simplified version of HMMD is used.

In HMMD method (combinatorial synthesis) the considered system consists of the following:

- (i) systems parts or components (modules) and corresponding design alternatives (DAS) for each component;

(ii) interconnection/compatibility (IC) of DAs which are included into the same system or the system part.

Basic assumptions are the following: (a) a tree-like structure of the system; (b) a composite estimate for system quality that integrates components (subsystems, parts, modules) qualities and qualities of IC (compatibility) across subsystems; (c) monotonic criteria for the system and its components (modules); (d) quality estimates of system components and IC are evaluated by coordinated ordinal scales. The designations are: (1) design alternatives (DAs) for nodes of the model; (2) priorities of DAs ( $r = \overline{1, k}$ ; 1 corresponds to the best level of quality); (3) an ordinal compatibility estimate for each pair of DAs ( $w = \overline{0, l}$ ;  $l$  corresponds to the best level of quality).

The phases of HMMD are:

*Phase 1.* design of the tree-like system model.

*Phase 2.* generation of DAs for leaf nodes of the model.

*Phase 3.* hierarchical selection and composing of DAs into composite DAs for the corresponding higher level of the system hierarchy.

*Phase 4.* analysis and improvement of composite DAs (i.e., system solutions).

Let  $S$  be a system consisting of  $m$  parts (components):  $P(1), \dots, P(i), \dots, P(m)$ . A set of design alternatives (DAs) is generated for each system part above. The problem is:

Find composite design alternative  $S = S(1) \star \dots \star S(i) \star \dots \star S(m)$  one representative design alternative  $S(i)$  for each system component/part  $P(i)$ ,  $i = \overline{1, m}$  with non-zero IC estimates between the representative DAs.

A discrete domain of the integrated system excellence is based on the vector:  $N(S) = (w(S); n(S))$ , where  $w(S)$  is the minimum of pairwise compatibility between DAs which correspond to different system components (i.e.,  $\forall P_{j_1}$  and  $P_{j_2}$ ,  $1 \leq j_1 \neq j_2 \leq m$ ) in  $S$ ,  $n(S) = (n_1, \dots, n_r, \dots, n_k)$ , where  $n_r$  is the number of DAs of the  $r$ th quality in  $S$  ( $\sum_{r=1}^k n_r = m$ ). Composite solutions are searched for which are nondominated by  $N(S)$  (i.e., Pareto-efficient solutions).

#### 4.4. Optimization based composite 5G challenge system

Table 7 contains the selected 5G challenges based on optimization approaches as the initial set of basic 5G improvement activities.

Further, an example of the hierarchical composite 5G challenge (improvement) system is examined. The estimates of DAs and their ordinal compatibilities are based on expert judgment and have only illustrative character. Here the design alternative (DAs) as a local challenge/improvement action corresponds to element (the number-notation) from Table 4. The composite (modular) system is (design alternative  $X_0$  corresponds to the absence of an activity) (Fig. 8; ordinal estimates of DAs are shown in parentheses).

$$0. S^I = A^1 \star A^2 \star A^3 \star A^4 \star A^5 :$$

$$1. A^1 = B^1 \star B^2 :$$

1.1.  $B^1$  (IoT):  $B_0^1$  (None),  $B_1^1$  (1.2.1.),  $B_2^1$  (1.2.2.),  $B_3^1$  (1.2.3.),  $B_4^1$  (1.2.4.),  $B_5^1$  (1.2.5.),  $B_6^1$  (1.2.6.),  $B_7^1$  (1.2.7.),  $B_8^1$  (1.2.8.),  $B_9^1$  (1.2.9.);

1.2.  $B^2$  (D2D):  $B_0^2$  (None),  $B_1^2$  (2.3.1.),  $B_2^2$  (2.3.2.),  $B_3^2$  (2.3.3.),  $B_4^2$  (2.3.4.),  $B_5^2$  (2.3.5.),  $B_6^2$  (2.3.6.),  $B_7^2$  (2.3.7.),  $B_8^2$  (2.3.8.),  $B_9^2$  (2.3.9.),  $B_{10}^2$  (2.3.10.),  $B_{11}^2$  (2.3.11.).

2.  $A^2 = B^3$  (RAT):  $B_0^3$  (None),  $B_1^3$  (3.5.1.),  $B_2^3$  (3.5.2.),  $B_3^3$  (3.5.3.),  $B_4^3$  (3.5.4.),  $B_5^3$  (3.5.5.),  $B_6^3$  (3.5.6.).

$$3. A^3 = B^4 \star B^5 :$$

3.1.  $B^4$  (W-SDN):  $B_0^4$  (None),  $B_1^4$  (4.2.1.),  $B_2^4$  (4.2.2.),  $B_3^4$  (4.2.3.),  $B_4^4$  (4.2.4.).

3.2.  $B^5$  (NFV):  $B_0^5$  (None),  $B_1^5$  (5.2.1.),  $B_2^5$  (5.2.2.),  $B_3^5$  (5.2.3.),  $B_4^5$  (5.2.4.),  $B_5^5$  (5.2.5.),  $B_6^5$  (5.2.6.),  $B_7^5$  (5.2.7.),  $B_8^5$  (5.2.8.),  $B_9^5$  (5.2.9.),  $B_{10}^5$  (5.2.10.),  $B_{11}^5$  (5.2.11.),  $B_{12}^5$  (5.2.12.).

$$4. A^4 = B^6 \star B^7 :$$

4.1.  $B^6$  (Big Data & Mobile Cloud Computing):  $B_0^6$  (None),  $B_1^6$  (6.2.1.),  $B_2^6$  (6.2.2.),  $B_3^6$  (6.2.3.),  $B_4^6$  (6.2.4.),  $B_5^6$  (6.2.5.),  $B_6^6$  (6.2.6.),  $B_7^6$  (6.2.7.),  $B_8^6$  (6.2.8.),  $B_9^6$  (6.2.9.),  $B_{10}^6$  (6.2.10.).

4.2.  $B^7$  (Mobile edge computing):  $B_0^7$  (None),  $B_1^7$  (7.2.1.),  $B_2^7$  (7.2.2.),  $B_3^7$  (7.2.3.),  $B_4^7$  (7.2.4.),  $B_5^7$  (7.2.5.).

5.  $A^5 = B^8 \star B^9 \star B^{10} \star B^{11}$ :

5.1.  $B^8$  (Green Communication):  $B_0^8$  (None),  $B_1^8$  (8.2.1.),  $B_2^8$  (8.2.2.),  $B_3^8$  (8.2.3.),  $B_4^8$  (8.2.4.),  $B_5^8$  (8.2.5.),  $B_6^8$  (8.2.6.),  $B_7^8$  (8.2.7.),  $B_8^8$  (8.2.8.),  $B_9^8$  (8.2.9.),  $B_{10}^8$  (8.2.10.).

5.2.  $B^9$  (Massive MIMO):  $B_0^9$  (None),  $B_1^9$  (9.2.1.),  $B_2^9$  (9.2.2.),  $B_3^9$  (9.2.3.),  $B_4^9$  (9.2.4.),  $B_5^9$  (9.2.5.),  $B_6^9$  (9.2.6.),  $B_7^9$  (9.2.7.),  $B_8^9$  (9.2.8.),  $B_9^9$  (9.2.9.),  $B_{10}^9$  (9.2.10.).

5.3.  $B^{10}$  (UDN):  $B_0^{10}$  (None),  $B_1^{10}$  (10.2.1.),  $B_2^{10}$  (10.2.2.),  $B_3^{10}$  (10.2.3.),  $B_4^{10}$  (10.2.4.),  $B_5^{10}$  (10.2.5.).

5.4.  $B^{11}$  (Millimeter Wave & TeraHertz):  $B_0^{11}$  (None),  $B_1^{11}$  (11.2.1.),  $B_2^{11}$  (11.2.2.),  $B_3^{11}$  (11.2.3.),  $B_4^{11}$  (11.2.4.).




Fig. 8. Morphological hierarchical structure of composite 5G challenge system

Illustrative ordinal estimates of pair compatibilities are contained in Table 8, Table 9, Table 10, Table 11, and Table 12.

As a result, the following Pareto-efficient composite DAs for system parts are obtained:

1. For subsystem  $A^1$ :  $A_1^1 = B_7^1 \star B_6^2$ ,  $N(A_1^1) = (3; 2, 0, 0)$ .
2. For subsystem  $A^2$ :  $A_1^2 = B_3^3$ .
3. For subsystem  $A^3$ :  $A_1^3 = B_2^4 \star B_{11}^5$ ,  $N(A_1^3) = (3; 2, 0, 0)$ .
4. For subsystem  $A^4$ :  $A_1^4 = B_8^6 \star B_3^7$ ,  $N(A_1^4) = (3; 2, 0, 0)$ .
5. For subsystem  $A^5$ :  $A_1^5 = B_{10}^8 \star B_8^9 \star B_1^{10} \star B_1^{11}$ ,  $N(A_1^5) = (3; 3, 1, 0)$ .

For composition of the resultant system solution compatibility estimates are not used. The resultant solution (composite 5G challenge system based on optimization approaches) is:

$$S_1^I = A_1^1 \star A_1^2 \star A_1^3 \star A_1^4 \star A_1^5.$$

**Table 7.** Basic 5G alternative improvement activities based on optimization approaches, part 1

Notation (Table 4)	DAs	Optimization problem(s)	Breaf description	Sources
1.2.1 1.2.2 1.2.3 1.2.4 1.2.5 1.2.6 1.2.7 1.2.8 1.2.9	$B_0^1$ $B_1^1$ $B_2^1$ $B_3^1$ $B_4^1$ $B_5^1$ $B_6^1$ $B_7^1$ $B_8^1$ $B_9^1$	None Optimization Optimization Optimization Selection, planning Graph optimization Optimization Selection Allocation Allocation	None IoT-Cloud service optimization adaptive monitoring in IoT Optimization of non-functional properties in IoT Modulation selection, resource planning M2M optimization in IoT Traffic optimization for IoT Relay selection in 5G HetNets for IoT Task allocation in IoT Optimal throughput, power allocation	[35] [272] [221] [77] [229] [98] [79] [72,150] [70]
2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.3.7 2.3.8 2.3.9 2.3.10 2.3.11	$B_0^2$ $B_1^2$ $B_2^2$ $B_3^2$ $B_4^2$ $B_5^2$ $B_6^2$ $B_7^2$ $B_8^2$ $B_9^2$ $B_{10}^2$ $B_{11}^2$	None Optimization Allocation Location/allocation Allocation Allocation Selection, allocation Optimization Allocation Assignment Assignment Multi-armed bandit	None Resource management in D2D Resource allocation for D2D Sector-based radio resource allocation (D2D) Interference&throughput aware resource allocation for multi-class D2D Power allocation for mobile D2D Mode selection&resource allocation Resource sharing for D2D (cellular network) Uplink resource/power allocation for D2D QoS-aware channel assignment for D2D Channel assignment in D2D (game models) Resource allocation for D2D communications	[10] [103,116] [105] [93] [322] [317] [316] [91] [288,289] [147,173] [219]
3.5.1 3.5.2 3.5.3 3.5.4 3.5.5 3.5.6	$B_0^3$ $B_1^3$ $B_2^3$ $B_3^3$ $B_4^3$ $B_5^3$ $B_6^3$	None Clustering, allocation Allocation Optimization Allocation Adaptive balancing Allocation, positioning	None User clustering, power allocation Resource allocation Optimization of RAN resource allocation in wireless HetNets Serviceability maximization in Fog networks Resource positioning (virtualized networks)	[20] [292] [266] [78] [261]
4.2.1 4.2.2 4.2.3 4.2.4	$B_0^4$ $B_1^4$ $B_2^4$ $B_3^4$ $B_4^4$	None Optimal design Location Allocation Routes replacement	None Optimal design for 5G mobile SDN Placement of controllers in SDN Multi-spectra allocation (wireless SDN) Replacing several dependent routes in SDN	[2,130,157,291] [290] [86]
5.2.1 5.2.2 5.2.3 5.2.4 5.2.5 5.2.6 5.2.7 5.2.8 5.2.9 5.2.10 5.2.11 5.2.12	$B_0^5$ $B_1^5$ $B_2^5$ $B_3^5$ $B_4^5$ $B_5^5$ $B_6^5$ $B_7^5$ $B_8^5$ $B_9^5$ $B_{10}^5$ $B_{11}^5$ $B_{12}^5$	None Optimization Chaining/allocation Placement Generalized assignment problem, MILP Deployment Allocation Allocation Placement Placement Placement Placement Placement Placement Placement, design Reallocation	None Cost optimal design for core network Service function chaining, resource allocation Functions placement (mobile core gateways) Joint VNF placement&resource allocation in 5G networks (including vertical services) Deploying chains of VNFs VNF placement and chaining Resource allocation in NFV Placement of virtual mobile functions over cloud infrastructure Placement of virtualized network functions Virtual network function placement Function placement&topology optimization Resource reallocation	[38] [287] [37] [6,7] [158] [22] [125] [87] [262] [268] [42,43] [149]

**Table 7.** Basic 5G alternative improvement activities based on optimization approaches, part 2

Notation (Table 4)	DAs	Optimization problem(s)	Breaf description	Sources
6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.2.6 6.2.7 6.2.8 6.2.9 6.2.10	$B_0^6$ $B_1^6$ $B_2^6$ $B_3^6$ $B_4^6$ $B_5^6$ $B_6^6$ $B_7^6$ $B_8^6$ $B_9^6$ $B_{10}^6$	None Allocation Optimization Optimization Assignment Optimition Optimition Placement Optimization, partiion Allocation Location	None Dynamic resource&task allocation (clouds) Inter-layer optimization of clouds Joint analysis of radio&computer resources Task assignment (heterogeneous clouds) Secure optimization in clouds Cooperative resource management Service placement in clouds Utilization of bandwidth (graph partitioning) Management of data centers Allocation of virtual resources	[159] [151] [250] [101] [286] [144,318] [310] [217] [45] [228]
7.2.1 7.2.2 7.2.3 7.2.4 7.2.5	$B_0^7$ $B_1^7$ $B_2^7$ $B_3^7$ $B_4^7$ $B_5^7$	None Optimization Auction optimization Scheduling, allocation Scheduling Balancing, allocation	None Joint analysis of radio&computer resources Hierarchical edge computing Task scheduling and power allocation Delay-optimal computation task scheduling Task offloading, load balancing, resource allocation	[153] [198] [186] [179]
8.2.1 8.2.2 8.2.3 8.2.4 8.2.5 8.2.6 8.2.7 8.2.8 8.2.9 8.2.10	$B_0^8$ $B_1^8$ $B_2^8$ $B_3^8$ $B_4^8$ $B_5^8$ $B_6^8$ $B_7^8$ $B_8^8$ $B_9^8$ $B_{10}^8$	None Optimization Optimization Layout, relocation Optimal stopping Routing/switching Routing Clustering Allocation Optimization Allocation, selection	None Green energy for cellular networks Optimization of cell size Adaptive change of network layout Stopping in cognitive cellular networks Green routing/switching Routing in green communication Dynamic resource provisioning Resource allocation Power optimization in green communication Power allocation, relay selection	[120] [236] [236] [325] [63] [307] [52] [312] [3] [4,110]
9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 9.2.6 9.2.7 9.2.8 9.2.9 9.2.10	$B_0^9$ $B_1^9$ $B_2^9$ $B_3^9$ $B_4^9$ $B_5^9$ $B_6^9$ $B_7^9$ $B_8^9$ $B_9^9$ $B_{10}^9$	None Global optimization Global optimization Optimization Allocation Location Allocation Optimition Covering Optimization Optimization	None Energy optimization of massive MIMO Energy optimization in relay network Optimal energy design of MIMO system Power allocation in massive MIMO Resource allocation in UDN (massive MIMO) Resource allocation for massive MIMO Throughput optimization for massive MIMO Cell coverage for multicell massive MIMO Power optimization (different deployments) Sum rate maximization in massive MIMO	[185] [270] [49] [74,269,324] [311] [55] [308] [137] [119] [148,215]
10.2.1 10.2.2 10.2.3 10.2.4 10.2.5	$B_0^{10}$ $B_1^{10}$ $B_2^{10}$ $B_3^{10}$ $B_4^{10}$ $B_5^{10}$	None Optimiton Optimization Maximization Allocation Optimization	None Resource management, interference (UDN) Robustness optimization in UDN Energy maximization (dense cells) Energy resource allocation (UDN) Hyper-dense cell deployment	[60] [274] [312] [311] [305]
11.2.1 11.2.2 11.2.3 11.2.4	$B_0^{11}$ $B_1^{11}$ $B_2^{11}$ $B_3^{11}$ $B_4^{11}$	None Schedulling Optimiation Optimiatiion Concurrent scheduling	None Schedulling in multihop mmWave systems Maximum nanonetwrok capacity Min precoding in mmWave MIMO systems QoS-aware full-duplex concurrent scheduling for mmWave wireless backhaul networks	[106] [313] [319] [85]

**Table 8.** Estimates of ordinal compatibility between DAs for  $A^1 = B^1 \star B^2$ 

	$B_0^2$	$B_1^2$	$B_2^2$	$B_3^2$	$B_4^2$	$B_5^2$	$B_6^2$	$B_7^2$	$B_8^2$	$B_9^2$	$B_{10}^2$	$B_{11}^2$
$B_0^1$	3	2	2	2	2	2	2	2	2	2	2	2
$B_1^1$	1	3	1	1	1	1	1	3	2	1	1	1
$B_2^1$	1	1	1	1	1	1	1	1	2	3	3	2
$B_3^1$	1	1	1	1	1	1	1	1	2	1	1	1
$B_4^1$	2	1	1	1	1	1	1	2	2	3	3	2
$B_5^1$	2	2	2	2	2	2	2	2	2	3	3	2
$B_6^1$	1	3	1	1	1	1	1	3	2	1	3	2
$B_7^1$	2	2	2	2	2	3	2	2	2	3	3	2
$B_8^1$	2	2	3	3	3	3	3	2	3	3	3	2
$B_9^1$	2	2	3	3	3	3	3	2	3	3	3	2

**Table 9.** Estimates of ordinal compatibility between DAs for  $A^3 = B^4 \star B^5$ 

	$B_0^5$	$B_1^5$	$B_2^5$	$B_3^5$	$B_4^5$	$B_5^5$	$B_6^5$	$B_7^5$	$B_8^5$	$B_9^5$	$B_{10}^5$	$B_{11}^5$	$B_{12}^5$
$B_0^4$	3	1	1	1	1	1	1	1	1	1	1	1	1
$B_1^4$	1	2	2	2	2	2	2	2	2	2	2	2	2
$B_2^4$	1	3	3	3	3	3	3	3	3	3	3	3	3
$B_3^4$	1	3	3	3	3	3	3	3	3	3	3	3	3
$B_4^4$	1	2	2	2	2	2	2	2	2	2	2	2	2

**Table 10.** Estimates of ordinal compatibility between DAs for  $A^4 = B^6 \star B^7$ 

	$B_0^6$	$B_1^6$	$B_2^6$	$B_3^6$	$B_4^6$	$B_5^6$	$B_6^6$	$B_7^6$	$B_8^6$	$B_9^6$	$B_{10}^6$
$B_0^7$	3	1	1	1	1	1	1	1	1	1	1
$B_1^7$	1	1	1	1	1	1	1	1	1	1	1
$B_2^7$	1	2	2	2	2	2	2	2	2	2	2
$B_3^7$	1	2	2	2	3	2	2	2	3	3	3
$B_4^7$	1	2	2	2	2	2	2	2	2	2	2
$B_5^7$	1	3	3	3	3	3	3	3	3	3	1

**Table 11.** Estimates of ordinal compatibility between DAs for  $A^5 = B^8 \star B^9 \star B^{10} \star B^{11}$ , part 1

	$B_0^9$	$B_1^9$	$B_2^9$	$B_3^9$	$B_4^9$	$B_5^9$	$B_6^9$	$B_7^9$	$B_8^9$	$B_9^9$	$B_{10}^9$
$B_0^8$	3	1	1	1	1	1	1	1	1	1	1
$B_1^8$	1	1	1	1	2	1	1	2	2	2	3
$B_2^8$	1	1	1	2	2	2	2	2	2	2	2
$B_3^8$	1	1	1	2	2	2	2	2	2	2	2
$B_4^8$	1	1	1	1	1	1	1	2	2	2	2
$B_5^8$	1	1	1	1	2	1	1	2	2	2	1
$B_6^8$	1	2	1	1	2	1	1	2	2	2	2
$B_7^8$	1	1	1	1	2	1	1	2	2	2	2
$B_8^8$	1	1	1	1	2	1	1	2	2	2	1
$B_9^8$	1	2	1	1	2	1	1	1	2	2	2
$B_{10}^8$	1	2	1	1	2	1	1	2	3	2	2

**Table 12.** Estimates of ordinal compatibility between DAs for  $A^5 = B^8 \star B^9 \star B^{10} \star B^{11}$ , part 2

	$B_0^{10}$	$B_1^{10}$	$B_2^{10}$	$B_3^{10}$	$B_4^{10}$	$B_5^{10}$	$B_0^{11}$	$B_1^{11}$	$B_2^{11}$	$B_3^{11}$	$B_4^{11}$
$B_0^8$	3	1	1	1	1	1	3	1	1	1	1
$B_1^8$	1	1	1	1	2	1	1	2	2	2	2
$B_2^8$	1	1	1	1	2	1	1	2	2	2	2
$B_3^8$	1	2	1	1	2	1	1	1	1	1	2
$B_4^8$	1	1	1	1	2	1	1	2	1	2	2
$B_5^8$	1	1	1	1	2	1	1	2	1	2	2
$B_6^8$	1	2	1	1	2	1	1	2	2	2	2
$B_7^8$	1	1	1	1	2	1	1	2	2	2	2
$B_8^8$	1	1	1	1	2	1	1	2	2	2	2
$B_9^8$	1	2	1	1	2	1	1	2	2	2	2
$B_{10}^8$	1	3	2	2	2	2	1	3	2	2	2

## 5. Conclusion

This paper describes a combinatorial framework for selection and composition of 5G improvement actions (challenges/key emerging technologies) based on optimization methods to obtain a composite challenge system. An illustrative example for design of the composite 5G challenge system is presented. Evidently, this approach can be used for other complex technological systems in various domains. Note, various other forecasting methods (including aggregation/hierarchical approaches) can be successfully used in system forecasting as well. The presented material has a preliminary character and can be improved and extended. It may be reasonable to consider the following future research directions: (1) special study to design a hierarchy (or ontology) of technological systems and their challenges; (2) study of composite innovations as combination of modular innovation activities (e.g., challenges/key technologies); (3) study of multi-stage composite technology challenge(s) systems; and (4) using the suggested combinatorial framework in education.

## 6. Acknowledgments

The research was done at Institute for Information Transmission Problems of Russian Acad. of Sciences (IITP RAS) and supported by the Russian Government (Contract No 14.W03.31.0019).

## REFERENCES

1. N. Abbas, Y. Zhang, A. Taherkordi, T. Skeie, Mobile edge computing: a survey. *IEEE Internet of Things J.*, 5(1), 450–465, 2018.
2. M.J. Abdel-Rahman, E.A. Mazied, K. Teague, A.B. MacKenzie, S.F. Midkiff, Robust controller placement and assignment in software-defined cellular networks. In: 2017 26th Int. Conf. on Comp. Commun. and Netw. (ICCCN), pp. 1–9, 2017.
3. A. Abrol, R.K. Jha, Power Optimization in 5G networks: a step towards Green communication. *IEEE Access*, 4, 1355–1374, 2016.
4. A. Abrol, R.K. Jha, S. Jain, P. Kumar, Joint power allocation and relay selection strategy for 5G network: a step towards green communication. *Telecom. Syst.*, 68(2), 201–215, 2017.
5. A. Afsharinejad, A. Davy, B. Jennings, C. Brennan, Performance analysis of plant monitoring nanosensor networks at THz frequencies. *IEEE Internet Things J.*, 3(1), 59–69, 2016.
6. S. Agarwal, F. Malandrino, C.-F. Chiasserini, S. De, Joint VNF placement and CPU allocation in 5G. In: 2018 IEEE Conf. on Computer Communications (INFOCOM), pp. 1943–1951, 2018.
7. S. Agarwal, F. Malandrino, C.-F. Chiasserini, S. De, VNF placement and resource allocation for the support of vertical services in 5G networks. *Electr. prepr.*, 15 p., Dec. 29, 2018. <http://arxiv.org/abs/1812.11365> [cs.NI]
8. M. Agiwal, A. Roy, N. Saxena, Next generation 5G wireless networks: a comprehensive survey. *IEEE Commun. Surv. and Tutor.*, 18(3), 1617–1655, 2016.
9. C.E. Agnew, Bayesian consensus forecasts of macroeconomic variables. *J. of Forecasting*, 4(4), 363–376, 1985.

10. M. Ahmad, M. Azam, M. Naeem, M. Iqbal, A. Anpalagan, M. Haneef, Resource management in D2D communication: an optimization perspective. *J. of Netw. and Comp. Appl.*, 93, 51–75, 2017.
11. E. Ahmed, I. Yaqoob, I.A.T. Hashem, I. Khan, A.I.A. Ahmed, M. Imran, A.V. Vasilakos, The role of big data analytics in Internet of Things. *Comp. Netw.*, 129, Part 2, 459–471, 2017.
12. Y. Ai, M. Peng, K. Zhang, Edge computing technology for Internet of Things: a primer. *Digital Communications and Networks*, 4(2), 77–86, 2018.
13. I.F. Akyildiz, J.M. Jornet, C. Han, Terahertz band: next frontier for wireless communications. *Phys. Commun.*, 12, 16–32, 2014.
14. I. Akyildiz, J. Jornet, C. Han, TeraNets: ultra-broadband communication networks in the terahertz band, *IEEE Wireless Commun.*, 21(4), 130–135, 2014.
15. I.F. Akyildiz, P. Wang, S.-C. Lin, SoftAir: A software defined networking architecture for 5G wireless systems. *Computer Networks*, 85, 1–18, 2015.
16. I.F. Akyildiz, S.-C. Lin, P. Wang, Wireless software-defined networks (W-SDNs) and network function virtualization (NFV) for 5G cellular systems: An overview and qualitative evaluation. *Computer Networks*, 93, 66–79, 2015.
17. I.F. Akyildiz, S. Nie, S.-C. Lin, M. Chandrasekaran, 5G roadmap: 10 key enabling technologies. *Computer Networks*, 106, 17–48, 2016.
18. I.F. Akyildiz, J.M. Jornet, Realizing ultra-massive MIMO communication in the (0.06-10) terahertz band. *Nano Commun. Netw.*, 3(4), 46–54, 2016.
19. A. Al-Fuqaha, M. Guizani, M. Mohammadi, M. Aledhari, M. Ayyash, Internet of things: a survey on enabling technologies, protocols, and applications. *IEEE Commun. Surv. Tuts.*, 17(4), 2347–2376, 2015.
20. M.S. Ali, H. Tabassum, E. Hossain, Dynamic user clustering and power allocation for uplink and downlink non-orthogonal multiple access (NOMA) systems. *IEEE Access*, 4, 6325–6343, 2016.
21. A. Al-Kinani, C.-X. Wang, L. Zhou, W. Zhang, Optical wireless communication measurements and models. *IEEE Commun. Surv. and Tutor.*, 20(3), 1939–1962, 2018.
22. A. Alleg, T. Ahmed, M. Mosbah, R. Riggo, R. Boutaba, Delay-aware VNF placement and chaining based on a flexible resource allocation approach. In: 2017 13th Int. Conf. on Network and Service Management (CNSM), pp. 1–7, 2017.
23. A. Alshalan, S. Pisharody, D. Huang, A survey of mobile VPN technologies. *IEEE Commun. Surv. and Tutor.*, 18(2), 1177–1196, 2016.
24. R.R. Andrawis, A.F. Atiya, H. El-Shishiny, Combination of long term and short term forecasts, with application to tourism demand forecasting. *Int. J. of Forecasting*, 27(3), 870–886, 2011.
25. S. Andreev, V. Petrov, M. Dohler, H. Yanikomeroglu, Future of ultra-dense networks beyond 5G: harnessing heterogeneous moving cells. *Electr. prepr.*, 8 p., Jun. 16, 2017. <http://arxiv.org/abs/1706.05197> [cs.NI]
26. S. Andreev, V. Petrov, K. Huang, M.A. Lema, M. Dohler, Dense moving fog for intelligent IoT: key challenges and opportunities. *Electr. prepr.*, 7 p., Dec. 20, 2018. <http://arxiv.org/abs/1812.08387> [cs.NI]
27. A. Asadi, Q. Wang, V. Mancuso, A survey on device-to-device communication in cellular networks. *IEEE Commun. Surveys Tuts.*, 16(4), 1801–1819, 2014.
28. H. Ashton, R.H. Ashton, Aggregating subjective forecasts: Some empirical results. *Manag. Sci.*, 31(12), 1499–1508, 1985.
29. G. Athanasopoulos, R.A. Ahmed, R.J. Hyndman, Hierarchical forecasts for Australian domestic tourism. *Int. J. of Forecasting*, 25, 146–166, 2009.
30. G. Athanasopoulos, R.J. Hyndman, N. Kourentzes, F. Petropoulos, Forecasting with temporal hierarchies. *EJOR*, 262, 60–74, 2017.
31. L. Atzori, A. Iera, G. Morabito, Understanding the Internet of Things: definition, potentials, and societal role of a fast evolving paradigm. *Ad Hoc Netw.*, 56, 122–140, 2017.
32. R. Baldemair, T. Imich, K. Balachandran, E. Dahlman, G. Mildh, Y. Seln, S. Parkvall, M. Meyer, A. Osseiran, Ultra-dense networks in millimeter-wave frequencies. *IEEE Commun. Mag.*, 53, 202–208, 2015.
33. B. Bangerter, S. Talwar, R. Arefi, K. Stewart, Networks and devices for the 5G era. *IEEE Commun. Mag.*, 52(2), 90–96, 2014.

34. S. Barbarossa, S. Sardellitti, P.D. Lorenzo, Communicating while computing: Distributed mobile cloud computing over 5G heterogeneous networks. *IEEE Signal Process. Mag.*, 31(6), 45–55, 2014.
35. M. Baqrcelo, A. Correa, J. Llorca, A.M. Tullino, J.L. Vicario, A. Morell, IoT-Cloud service optimization in next generation smart environments. *IEEE J. on Selec. Area in Commun.*, 34(12), 4077–4090, 2016.
36. D.K. Barrow, N. Kourentzes, Distributions of forecasting errors of forecast combinations: Implications for inventory management. *Int. J. of Prod. Econ.*, 177, 24–33, 2016.
37. A. Basta, W. Kellerer, M. Hoffmann, H. Morper, K. Hoffmann, Applying NFV and SDN to LTE mobile core gateways; functions placement problem. In: Proc. of the 4th workshop on All things cellular: operations applications and challenges, pp. 33–38, 2014.
38. A. Basta, A. Blenk, K. Hoffmann, H.J. Morper, M. Hoffmann, W. Kellerer, Towards a cost optimal design for a 5G mobile core network based on SDN and NFV. *IEEE Trans. on Netw. and Serv. Manag.*, 14(4), 1061–1075, 2017.
39. E. Bastug, M. Bennis, M. Debbah, Living on the edge: The role of proactive caching in 5G wireless networks. *IEEE Commun. Mag.*, 52(8), 82–89, 2014.
40. J.M. Bates, C.W.J. Granger, The combination of forecasts. *Oper. Res. Quart.*, 20(4), 451–468, 1969.
41. T. Bauschert, C. Busing, F. D’Andreagiovanni, A.M.C.A. Koster, M. Kutschka, U. Steglich, Network planning under demand uncertainty with robust optimization. *IEEE Commun. Mag.*, 52(2) 178–185, 2014.
42. A. Baumgartner, V.S. Reddy, T. Bauschert, Mobile core network virtualization: a model for combined virtual core network function placement and topology optimization. In: Proc. of the 2015 1st Conf. on Network Softarization (NetSoft), pp. 1–9, 2015.
43. A. Baumgartner, V.S. Reddy, T. Bauschert, Combined virtual mobile core network function placement and topology optimization with latency bounds. In: EWSDN 2015, pp. 97–102, 2015.
44. M.T. Beck, M. Maier, Mobile edge computing: challenges for future virtual network embedding algorithms. In: Proc. of the 8th Int. Conf. on Adv. Eng. Comput. and Appl. in Sci. (ADCOMP), pp. 65–70, 2014.
45. A. Beloglazov, J. Abawajy, R. Buyya, Energy-aware resource allocation heuristics for efficient management of data centers for cloud computing. *FGCS*, 28(5), 755–768, 2012.
46. C.J. Bernardos, A. de la Oliva, P. Serrano, A. Banchs, L.M. Contreras, H. Jin, J.C. Zuniga, An architecture for software defined wireless networking. *IEEE Wireless Commun.*, 21(3), 52–61, 2014.
47. N. Bhushan, J. Li, D. Malladi, R. Gilmore, D. Brenner, A. Damnjanovic, R. Sukhavasi, C. Patel, S. Geirhofer, Network densification: the dominant theme for wireless evolution into 5G. *IEEE Commun. Magaz.*, 52(2), 82–89, 2014.
48. L. Bittencourt, R. Immich, R. Sakellariou, N. Foneseca, E. Madeira, M. Curado, L. Villas, L. DaSilva, C. Lee, O. Rana, The Internet of Things, Fog and Cloud continuum: Integration and challenges. *Internet of Things*, vols. 3–4, 134–155, 2018.
49. E. Bjornson, L. Sanguinetti, J. Hoydis, M. Debbah, Optimal design of energy-efficient multi-user MIMO systems: Is massive MIMO the answer? *IEEE Trans. Wireless Commun.*, 14(6), 3059–3075, 2015.
50. F. Boccardi, R.W. Heath, A. Lozano, T.L. Marzetta, P. Popovski, Five disruptive technology directions for 5G. *IEEE Commun. Mag.*, 52(2), 74–80, 2014.
51. A. Botta, W. de Donato, V. Persico, A. Pescape, Integration of cloud computing and internet of things: a survey. *FGCS*, 56, 684–700, 2016.
52. L. Budzisz, F. Ganji, G. Rizzo, M.A. Marsan, M. Meo, Y. Zhang, G. Koutitas, L. Tassiulas, S. Lambert, B. Lannoo, M. Pickavet, A. Conte, I. Haratcherev, A. Wolisz, Dynamic resource provisioning for energy efficiency in wireless access networks: a survey and an outlook. *IEEE Commun. Surveys & Tutorials*, 16(4), 2259–2285, 2014.
53. Y. Cai, F. Yu, C. Liang, B. Sun, Q. Yan, Software defined device-to-device (d2d) communications in virtual wireless networks with imperfect network state information (nsi). *IEEE Trans. Veh. Technol.*, PP (99), 1–1, 2015.
54. P.W.C. Chan, E.S. Lo, R.R. Wang, E.K.S. Au, V.K.N. Lau, R.S. Cheng, W.H. Mow, R.D. Murch, K. Ben Letaief, The evolution path of 4G networks: FDD or TDD? *IEEE Commun. Mag.*, 42–50, Dec. 2007.

55. Z. Chang, Z. Wang, X. Guo, Z. Han, T. Ristaniemi, Energy-efficient resource allocation for wireless powered massive MIMO system with imperfect CSI. *IEEE Trans. Green Commun. Netw.*, 1(2), 121–130, 2017.
56. H. Chen, J.E. Boylan, The effect of correlation between demands on hierarchical forecasting. *Adv. Bus. Manag. Forecast.*, 6, 173–188, 2009.
57. T. Chen, H. Zhang, X. Chen, O. Tirkkonen, Softmobile: control evolution for future heterogeneous mobile networks. *IEEE Wireless Commun.*, 21(6), 70–78, 2014.
58. C.-A. Chen, M. Won, R. Stoleru, G. G. Xie, Energy-efficient fault tolerant data storage and processing in mobile cloud. *IEEE Trans. Cloud Comput.*, 3(1), 28–41, 2015.
59. S. Chen, J. Zhao, M. Ai, D. Liu, Y. Peng, Virtual RATs and a flexible and tailored radio access network evolving to 5G. *IEEE Commun. Mag.*, 53(6), 52–58, 2015.
60. S. Chen, F. Qin, B. Hu, X. Li, Z. Chen, User-centric ultra-dense network for 5G: challenges, methodologies, and directions. *IEEE Wireless Communications*, 23(2), 78–85, 2016.
61. S. Chen, F. Qin, B. Hu, X. Li, J. Liu, Ultra-dense network architecture and technologies for 5G. In: W. Xiang, K. Zheng, X. Shen (eds), *5G Mobile Communications*, pp. 403–429, Springer, 2017.
62. M. Chiang, T. Zhang, Fog and IoT: An overview of research opportunities. *IEEE Internet Things J.*, 3(6), 854–864, 2016.
63. L. Chiaraviglio, A. Cianfrani, A. Coiro, M. Listanti, M. Polverini, Green routing/switiching and transport. In: K. Samdanis, P. Rost, A. Maeder, M. Meo, C. Verikoukis (eds), *Green Communications. Principles, Concepts and Practice*. pp. 257–275, Wiley, 2015.
64. W.H. Chin, Z. Fan, R. Haines, Emerging technologies and research challenges for 5G wireless networks. *IEEE Wireless Commun.*, 21(2), 106–112, 2014.
65. Y. Choi, H., Kim, S.-W. Han, Y. Han, Joint resource allocation for parallel multi-radio access in heterogeneous wireless networks. *IEEE Trans. on Wireless Communications*, 9(11), 3324–3320, 2010.
66. G. Chopra, R.K. Jha, S. Jain, A survey on ultra-dense network and emerging technologies: security challenges and possible solutions. *J. of Netw. and Comp. Appl.*, 95, 54–78, 2017.
67. N.M.K. Chowdhury, R. Boutaba, Network virtualization: state of the art and research challenges. *IEEE Commun. Mag.*, 20–26, 2009.
68. N.M.K. Chowdhury, R. Boutaba, A survey of network virtualization. *Computer Networks*, 54(5), 862–876, 2010.
69. A. Chowdhury, S.A. Raut, A survey on Internet of Things resource management. *J. of Netw. and Comp. Appl.*, 120, 42–60, 2018.
70. Z. Chu, F. Zhou, Z. Zhu, R.Q. Hu, P. Xiao, Wireless powered sensor networks for internet of things: maximum throughput and optimal power allocation. *IEEE Internet of Things J.*, 5(1), 310–321, 2018.
71. R.T. Clemen, Combing forecasts: a review and annotated-bibliography. *Int. J. of Forecasting*, 5(4), 559–583, 1989.
72. G. Colistra, V. Pilloni, L. Atzori, The problem of task allocation in the internet of things and the consensus based approach, *Computer Networks*, 73, 98–111, 2014.
73. T.H. Cormen, C.E. Leiserson, R.L. Rivest, *Introduction to Algorithms*. 3rd ed., MIT Press and McGraw-Hill, 2009.
74. M. Cui, B.-J. Hu, X. Li, H. Chen, S. Hu, Y. Wang, Energy-efficient power control algorithms in massive MIMO cognitive radio networks. *IEEE Access*, 5, 1164–1177, 2017.
75. E. Dahlman et al., 5G wireless access: requirements and realization. *IEEE Commun. Mag.*, 52(12), 42–47, 2014.
76. I.L. Da Silva, G. Mildh, M. Saily, S. Hailu, A novel state model for 5G radio access networks. In: *IEEE Int. Conf. on Communications Workshops (ICC)*, pp. 632–637, May 2016.
77. N.-N. Dao, M. Park, J. Kim, S. Cho, Adaptive MCS selection and resoruce planning for energy-effcient communication in LTE-M based IoT sensing platform. *PloS one*, 12(8), e0182527, 2017.
78. N.-N. Dao, J. Lee, D.-N. Vu, J. Paek, C. Keumn, J. Kim, S. Cho, J. Cho, K.-S. Chung, Adaptive Resource Balancing for Serviceability Maximization in Fog Radio Access Networks. *IEEE Access*, 5, 14548–14559, 2017.
79. N.-N. Dao, M. Park, J. Kim, J. Paek, S. Cho, Resource-aware relay selection for inter-cell interference avoidance in 5G heterogeneous networks for Internet of Things systems. *FGCS*, 2018 (in press).
80. A.V. Dastjerdi, R. Buyya, Fog computing: helping the Internet of Things realize its potential. Com-

- puter, 49, 112–116, 2016.
81. M. Dekker, K.V. Donselaar, A.P. Ouwehand, How to use aggregation and combined forecasting to improve seasonal demand forecasts. *Int. J. of Prod. Econ.*, 90(2), 151–167, 2004.
  82. P. Demestichas, A. Georakopoulos, D. Karvounas, K. Tsagkaris, V. Stavroulaki, J. Lu, C. Xiong, J. Yao, 5G on the horizon: key challenges for the radio-access network. *IEEE Veh. Technol. Mag.*, 8(3), 47–53, 2013.
  83. M. Diaz, C. Martin, B. Rubio, State-of-the-art, challenges, and open issues in the integration of internet of things and cloud computing. *J. of Netw. and Comp. Appl.*, 67, 99–117, 2016.
  84. S. Din, A. Paul, A. Ahmad, J.H. Kim, Energy efficient topology management scheme based on clustering techniques for software defined wireless sensor network. *Peer-to-Peer Netw. and Appl.*, 1–9, 2017.
  85. W. Ding, Y. Niu, H. Wu, Y. Li, Z. Zhong, QoS-aware full-duplex concurrent scheduling for millimeter wave wireless backhaul networks. *Electr. prepr.*, 9 p., Dec. 29, 2018. <http://arxiv.org/abs/1812.11326> [cs.NI]
  86. Y. Dinitz, S. Dolev, D. Khankin, Make&Activate-Before-Break: policy preserving seamless routes replacement in SDN. In: *Int. Colloquium on Structural Information and Communication Complexity SIROCCO 2018*, LNCS 11085, Springer, pp. 34–37, 2018.
  87. T.X. Do, Y. Kim, Usage-aware protection plan for state management functions in service-based 5G core network. *IEEE Access*, 6, 36906–36915, 2018.
  88. K. Doppler, M. Rinne, C. Wijting, C. B. Ribeiro, K. Hugl, Device-to-device communication as an underlay to LTE-advanced networks. *IEEE Commun. Mag.*, 47(12), 42–49, 2009.
  89. G. Elliott, A. Timmermann, Optimal forecast combinations under general loss functions and forecast error distributions. *J. of Econometrics*, 122(1), 47–79, 2004.
  90. G. Elliott, A. Timmermann, Optimal forecast combination under regime switching. *Int. Economic Review*, 46(4), 1081–1102, 2005.
  91. H.H. Estmat, M.M. Elmesalawy, I.I. Ibrahim, Uplink resource allocation and power control for D2D communications underlaying multi-cell mobile networks. *Int. J. of Electron. and Commun. (AEU)*, 93, 163–171, 2018.
  92. J. Feng, Q. Zhang, G. Dong, P. Cao, Z. Feng, An approach to 5G wireless network virtualization: architecture and trial environment. In: *2017 IEEE Wireless Commun. and Netw. Conf. (WCNC)*, pp. 1–6, 2017.
  93. L. Ferdouse, W. Ejaz, K. Raahemifar, A. Anpalagan, M. Markandaier, Interference and throughput aware resource allocation for multi-class D2D in 5G networks. *Communications IET*, 11(8), 1241–1250, 2017.
  94. N. Fernando, S.W. Loke, W. Rahayu, Mobile cloud computing: a survey. *FGCS*, 29(1), 84–106, 2013.
  95. G. Fliedner, An investigation of aggregate variable time series forecast strategies with specific subaggregate time series statistical correlation. *Comp. and Oper. Res.*, 26(10-11), 1133–1149, 1999.
  96. G. Fliedner, Hierarchical forecasting: Issues and use guidelines. *Ind. Manag. & Data Syst.*, 101(1), 5–12, 2001.
  97. G. Fodor, E. Dahlman, G. Mildh, S. Parkvall, N. Reider, G. Miklos, Z. Turanyi, Design aspects of the network assisted device-to-device communications. *IEEE Commun. Mag.*, 50(3), 170–177, 2012.
  98. J. Francois, T. Cholez, T. Engel, CNN traffic optimization for IoT. In: *2013 Fourth Int. Conf. on the Network of the Future (NOF)*, IEEE, pp. 1–5, 2013.
  99. Y. Fu, S. Wang, C.-X. Wang, X. Hong, S. McLaughlin, Artificial intelligence to manage network traffic of 5G wireless networks. *IEEE Network*, 32(6), 58–64, 2018.
  100. K. Gai, M. Qiu, H. Zhao, L. Tao, Z. Zong, Dynamic energy-aware cloudlet-based mobile cloud computing model for green computing. *J. Netw. Comput. Appl.*, 59, 46–54, 2016.
  101. K. Gai, M. Qiu, H. Zhao, Energy-aware task assignment for mobile cyber-enabled applications in heterogeneous cloud computing. *J. Parallel Distrib. Comput.*, 111, 126–135, 2018.
  102. O. Galinina, A. Pyattaev, S. Andreev, M. Dohler, Y. Koucheryavy, 5G multi-RAT LTE-WiFi ultra-dense small cells: performance dynamics, architecture, and trends. *IEEE J. on Selec. Area in Commun.*, 33, 1224–1240, 2015.
  103. P. Gandotra, R.K. Jha, Device-to-device communication in cellular networks: a survey. *J. of Netw. and Comp. Appl.*, 71, 99–117, 2016.

- 104.P. Gandotra, R.K. Jha, S. Jain, A survey on device-to-device (D2D) communication: architecture and security issues. *J. of Netw. and Comp. Appl.*, 78, 9–29, 2017.
- 105.P. Gandotra, R.K. Jha, S. Jain, Sector-based radio resource allocation (SBRRA) algorithm for better quality of service and experience in device-to-device (D2D) communication. *IEEE Trans. on Veh. Technol.*, PP(99), 1-1, 2017.
- 106.J. Garcia-Rois, F. Gomez-Cuba, M. Riza Akdeniz, F. Gonzalez-Castano, J. Burguillo-Rial, S. Rangan, B. Lorenzo, On the analysis of scheduling in dynamic duplex multihop mmWave cellular systems. *IEEE Trans. Wireless Commun.*, 14(11), 6028–6042, 2015.
- 107.E.S. Gardner Jr., Evaluating forecast performance in an inventory control system. *Manag. Sci.*, 36(4), 490–499, 1990.
- 108.M.R. Garey, D.S. Johnson, *Computers and Intractability. The Guide to the Theory of NP-Completeness*. W.H. Freeman, San-Francisco, 1979.
- 109.X. Ge, S. Tu, G. Mao, C.-X. Wang, T. Han, 5G ultra-dense cellular networks. *IEEE Wireless Communication*, 23(1), 72–79, 2015.
- 110.X. Ge, J. Chen, C.-X. Wang, J. Thompson, J. Zhang, 5G green cellular networks considering power allocation schemes. *Science Chine Information Sciences*, 59(2), 1–14, 2016.
- 111.A.A. Ghobbar, C.H. Friend, Evaluation of forecasting methods for intermittent parts demand in the field of aviation: a predictive model. *Comp. & Oper. Res.*, 30(14), 2097–2114, 2003.
- 112.M. Giordani, M. Mezzavilla, M. Zorzi, Initial access in 5G mm wave cellular networks. *IEEE Commun. Mag.*, 54(11), 40–47, 2016.
- 113.P. Goodwin, Correct or combine? Mechanically integrating judgmental forecasts with statistical methods. *Int. J. of Forecasting*, 16(2), 261–275, 2000.
- 114.A. Gotsis, S. Stefanatos, A. Alexiou, UltraDense networks: The new wireless frontier for enabling 5g access. *IEEE Veh. Technol. Mag.*, 11(2) 71–78, 2016.
- 115.C.W. Gross, J.E. Sohl, Disaggregation methods to expedite product line forecasting. *J. of Forecasting*, 9, 233–254, 1990.
- 116.J. Gu, H.-W. Yoon, J. Lee, S.J. Bae, M.Y. Chung, A resource allocation scheme for device-to-device communications using LTE-A uplink resources. *Pervasive and Mobile Computing*, 18, 104–117, 2015.
- 117.J. Gubbi, R. Buyya, S. Marusic, M. Palaniswmi, Internet of Things (IoT): A vision, architectural elements, and future directions. *FGCS*, 29(7), 1645–1660, 2013.
- 118.A. Gupta, R.K. Jha, A survey of 5G network: architecture and emerging technologies. *IEEE Access*, 3, 1206–1232, 2015.
- 119.A. Gupta, R.K. Jha, Power optimization using massive MIMO and small cells approach in different deployment scenarios. *Wireless Netw.*, 23(3), 959–973, 2017.
- 120.T. Han, N. Ansari, On optimizing green energy utilization for cellular networks with hybrid energy supplies. *IEEE Trans. Wireless Commun.*, 12(8), 3872–3882, 2013.
- 121.B. Han, V. Gopalakrishnan, L. Ji, S. Lee, Network function virtualization: challenges and opportunities for innovation. *IEEE Commun. Mag.*, 53(2), 90–97, 2015.
- 122.C. Han, A.O. Bicen, I.F. Akyildiz, Multi-ray channel modeling and wideband characterization for wireless communications in the terahertz band. *IEEE Trans. Wireless Commun.*, 14(5), 2402–2412, 2015.
- 123.C. Han, A.O. Bicen, I.F. Akyildiz, Multi-wideband waveform design for distance-adaptive wireless communications in the terahertz band. *IEEE Trans. Signal Process.*, 64(4), 910–922, 2016.
- 124.C. He, X. Xu, Combination of forecasts using self-organizing algorithms. *J. of Forecasting*, 24, 269–278, 2005.
- 125.J.G. Herrera, J.F. Botero, Resource allocation in NFV: a comprehensive survey. *IEEE Trans. on Netw. and Serv. Manag.*, 13(3), 518–532, 2016.
- 126.R.M.J. Heuts, L.W.G. Strijbosch, E.H.M.v.d. Schoot, A combined forecast-inventory control procedure for spare parts. *Flexible Autom. & Intell. Manuf.*, 1-15, 1999.
- 127.M. Hibon, T. Evgeniou, To combine or not to combine: selecting among forecasts and their combinations. *Int. J. of Forecasting*, 21, 15–24, 2005.
- 128.E. Hossain, M. Rasti, H. Tabassum, A. Abdelnasser, Evolution toward 5G multi-tier cellular wireless networks: an interference management perspective. *IEEE Wireless Commun.*, 21(3), 118–127, 2014.
- 129.E. Hossain, M. Hasan, 5G cellular: key enabling technologies and research challenges. *IEEE Instrum.*

- Meas. Mag., 18(3), 11–21, 2015.
- 130.Y.N. Hu, W.D. Wang, X.Y. Gong, X.R. Que, S.D. Cheng, On the placement of controllers in software-defined networks. *J. of Chinese Universities of Post and Telecommunications*, 19(0), Suppl. 2, 92–171.
- 131.I. Hwang, B. Song, S. Soliman, A holistic view on hyper-dense heterogeneous and small cell networks. *IEEE Commun. Mag.*, 51(6), 20–27, 2013.
- 132.R.J. Hyndman, R.A. Ahmed, G. Athanasopoulos, H.L. Shang, Optimal combination forecasts for hierarchical time series. *Computational Statistics & Data Analysis*, 55(9), 2579–2589, 2011.
- 133.R.J. Hyndman, G. Athanasopoulos, Optimally reconciling forecasts in a hierarchy. *Foresight*, 35, 42–44, 2014.
- 134.R.J. Hyndman, A.J. Lee, E. Wang, Fast computation of reconciled forecasts for hierarchical and grouped time series. *Computational Statistics and Data Analysis*, 97, 16–32, 2016.
- 135.A. Imran, A. Zoha, Challenges in 5G: how to empower SON with big data for enabling 5G. *IEEE Network*, 28, 27–33, 2014.
- 136.N.A. Jagadeesan, B. Krishnamachari, Software-defined networking paradigms in wireless networks: a survey. *ACM Comput. Surv.*, 47(2), art. 27, 1–11, 2015.
- 137.S. Jin, J. Wang, Q. Sun, M. Matthaiou, X. Gao, Cell coverage optimization for the multicell massive MIMO uplink. *IEEE Trans. on Vehicular Technol.*, 64(12), 5713–5727, 2015.
- 138.X. Jin, F. Zhang, A. Vasilakos, Z. Liu, Green data centers: A survey, perspectives, and future directions. *Electr. prepr.*, 20 p., Aug. 2, 2017. <http://arxiv.org/abs/1608.00687> [cs.DC]
- 139.M. Jo, T. Maksymyuk, B. Strykhalyuk, C.-H. Cho, Device-to-device-based heterogeneous radio access network architecture for mobile cloud computing. *IEEE Wireless Commun.* 22(3), 50–58, 2015.
- 140.J.M. Jornet, I.F. Akyildiz, Channel modeling and capacity analysis for electromagnetic wireless nanonetworks in the terahertz band. *IEEE Trans. on Wireless Commun.*, 10(10), 3211–3221, 2011.
- 141.J.M. Jornet, I.F. Akyildiz, Femtosecond-long pulse-based modulation for terahertz band communication in nanonetworks. *IEEE Trans. on Communications*, 62(5), 1742–1754, 2014.
- 142.V.R.R. Jose, R.L. Winkler, Simple robust averages of forecasts: some empirical results. *Int. J. of Forecasting*, 24, 163–169, 2008.
- 143.E.A. Kadir, S.M. Shamsuddin, T.A. Rahman, A.S. Ismail, Big data network architecture and monitoring use wireless 5G technology. *Int. J. Adv. Soft Comp. Appl.*, 7(1), 1–14, 2015.
- 144.R. Kaewpuang, D. Niyato, P. Wang, E. Hossain, A framework for cooperative resource management in mobile cloud computing. *IEEE J. Sel. Areas Commun.*, 31(12), 2685–2700, 2013.
- 145.K.B. Kahn, Revisiting top-down versus bottom-up forecasting. *The J. of Business Forecasting*, Summer, 14–19, 1998.
- 146.U.N. Kar, D.K. Sanyal, An overview of device-to-device communication in cellular networks. *ICT Express*, 4, 203–208, 2018.
- 147.S.M. Kazmi, N.H. Tran, W. Saad, Z. Han, T.M. Ho, T.Z. Oo, C.S. Hong, Mode selection and resource allocation in device-to-device communications: a matching game approach. *IEEE Trans. on Mob. Comput.*, 16(11), 3126–3141, 2017.
- 148.A. Khabbazibasmenj, F. Roymer, S. Vorobyov, M. Haardt, Sum-rate maximization in two-way AF MIMO relaying: polynomial time solutions to a class of DC programming problems. *IEEE Trans. on Signal Processing*, 69(10), 5478–5493, 2012.
- 149.N.T. Khai, A. Baumgartner, T. Bauschert, A multi-step model for migration and resource reallocation in virtualized network infrastructure. In: *INFOCOM Workshops*, pp. 730–735, 2017.
- 150.E.A. Khalil, S. Ozdemir, S. Tosun, Evolutionary task allocation in internet of things-based application domains. *FGCS*, 86, 121–133, 2018.
- 151.S. Khalili, O. Simeone, Inter-layer per-mobile optimization of cloud mobile computing: a message-passing approach. *Electr. prepr.*, 11 p., Aug. 26, 2015. <http://arxiv.org/abs/1509.01596> [cs.DC]
- 152.A.u.R. Khan, M. Othman, S.A. Madani, S.U. Khan, A survey of mobile cloud computing application models. *IEEE Commun. Surveys Tuts.*, 16(1), 393–413, 2014.
- 153.A. Kiani, N. Ansari, Toward hierarchical mobile edge computing: An auction-based profit maximization approach. *IEEE Internet Things J.*, 4(6), 2082–2091, 2017.
- 154.A. Kiani, N. Ansari, Edge Computing Aware NOMA for 5G Networks. *IEEE Internet of Things Journal*, 5(2), 1299–1306, 2018.
- 155.S. Kolassa, Combining exponential smoothing forecasts using Akaike weights. *Int. J. of Forecasting*,

- 27(2), 238–251, 2011.
- 156.D. Kreutz, F.M. Ramos, P.E. Verissimo, C.E. Rothenberg, S. Azodol-molky, S. Uhlig, Software-defined networking: a comprehensive survey. *IEEE Proc.*, 103(1), 14–76, 2015.
- 157.A. Ksentini, M. Bagaa, T. Taleb, On using SDN in 5G: the controller placement problem. In 2006 IEEE Global Commun. Conf. (GLOBECOM), pp. 1–6, 2016.
- 158.T.-W. Kuo, B.-H. Liou, K.C.-J. Lin, M.-J. Tsai, Deploying chains of virtual network functions: on the relation between link and server usage. *IEEE/ACM Trans. on Networking*, 26(4), 1562–1576, 2018.
- 159.J. Kwak, Y. Kim, J. Lee, S. Chong, DREAM: Dynamic resource and task allocation for energy minimization in mobile cloud systems. *IEEE J. Sel. Areas Commun.*, 33(12), 2510–2523, 2015.
- 160.Q. La, M.V. Ngo, T.Q. Dinh, T.Q.S. Quek, Enabling intelligence in fog computing to achieve energy and latency reduction. *Digital Communications and Networks*, in press, 2018.
- 161.P.J. Lamberson, S.E. Page, Optimal forecasting groups. *Manag. Sci.*, 58(4), 805–810, 2012.
- 162.E.G. Larsson, O. Edfors, F. Tufvesson, T.L. Marzetta, Massive MIMO for next generation wireless systems. *IEEE Commun. Mag.*, 52(2), 186–195, Feb. 2014.
- 163.L. Lei, Z. Zhong, K. Zheng, J. Chen, H. Meng, Challenges on wireless heterogeneous networks for mobile cloud computing. *IEEE Wireless Commun.*, 20(3), 34–44, 2013.
- 164.M.Sh. Levin, Combinatorial Engineering of Decomposable Systems. Springer, 1998.
- 165.M.Sh. Levin, Composite Systems Decisions. Springer, 2006.
- 166.M.Sh. Levin, Towards combinatorial evolution of composite systems. *Expert Systems with Applications*, 40(4), 1342–1351, 2013.
- 167.M.Sh. Levin, Modular System Design and Evaluation. Springer, 2015.
- 168.M.Sh. Levin, Towards combinatorial modeling of wireless technology generations. *Electr. prepr.*, 20 p., Sep. 2, 2017. <http://arxiv.org/abs/1708.08996> [cs.NI]
- 169.M.Sh. Levin, An example of combinatorial evolution and forecasting of requirements to communications systems. *J. of Communications Technology and Electronics*, 62(12), 1499–1505, 2017.
- 170.M.Sh. Levin, On combinatorial models of generations of wireless communication systems. *J. of Communications Technology and Electronics*, 63(6), 667–679, 2018.
- 171.M.Sh. Levin, O. Kruchkov, O. Hadar, E. Kaminsky, Combinatorial systems evolution: example of standard for multimedia information. *Informatica (Lith.)*, 20(4), 519–538, 2009.
- 172.M.Sh. Levin, A. Andrushevich, R. Kistler, A. Klapproth, Combinatorial evolution of ZigBee protocol. In: 2010 IEEE Region 8 Int. Conf. SIBIRCON-2010, Irkutsk, vol. 1, pp. 314–319, 2010.
- 173.S. Lhazmir, A. Kobbane, J. Ben-Othman, Channel assignment for D2D communication: a regret matching based approach. In 2018 14th Int. Wirrelss Communications & Mobile Computing Conf. (IWCMC), pp. 322–327, 2018.
- 174.Q. Li, G. Li, W. Lee, M. Lee, D. Mazzarese, B. Clerckx, Z. Li, MIMO techniques in WiMAX and LTE: a feature overview. *IEEE Commun. Mag.*, 48(5), 86–92, 2010.
- 175.C. Li, J. Zhang, J.G. Andrews, K.B. Letaief, Success probability and area spectral efficiency in multiuser MIMO HetNets. *IEEE Trans. Commun.*, 64(4), 1544–1556, 2016.
- 176.W. Li, X. Chen, S. Lu, Content synchronization using device-to-device communication in smart cities. *Comp. Netw.*, 120, 170–185, 2017.
- 177.P. Li, C. Shu, J. Feng, A reciprocal-selection-based ‘Win-Win’ overlay spectrum-sharing scheme for device-to-device-enabled cellular network. *Algorithms*, 11, 179, 2018.
- 178.S. Li, L.D. Xu, S. Zhao, 5G Internet of Things: a survey. *J. of Ind. Inform. Integr.*, 10, 1–9, 2018.
- 179.S. Li, D. Zhai, P. Du, T. Han, Energy efficient task offloading, load balancing, and resource allocation in mobile edge computing enabled IoT networks. *Science China Information Sciences*, 62(2), Art. 29307, 2019.
- 180.C. Liang, F.R. Yu, Wireless network virtualization: a survey some research issues and challenges. *IEEE Commun. Surv. and Tutor.*, 17(1), 358–380, 2015.
- 181.Y. Liang, X. Li, J. Zhang, Z. Ding, Non-orthogonal random access for 5G networks. *IEEE Trans. Wireless Commun.*, 16(7), 4817–4831, 2017.
- 182.M. Liyanage, A. Gurto, M. Ylianttila (eds), *Software Defined Mobile Networks (SDMN): Beyond LTE Network Architecture*. Wiley, 2015.
- 183.C. Liaskos, A. Tsoliariadou, A. Pitsillidesz, S. Ioannidis, I.F. Akyildiz, Using any Surface to Realize a New Paradigm for Wireless Communications. *Electr. prepr.*, 14 p., June 4, 2015.

- <http://arxiv.org/abs/1806.04585> [cs.NI]
- 184.C. Liaskos, S. Nie, A. Tsoliaridou, A. Pitsillidesz, S. Ioannidis, I.F. Akyildiz, A new wireless communication paradigm through software-controlled metasurfaces. *IEEE Commun. Mag.*, 56(9), 162–169, 2018.
- 185.W. Liu, A. Zappone, C. Yang, E. Jorswieck, Global EE optimization of massive MIMO systems. In: 2015 IEEE 16th Int. Workshop on Signal Proc. Adv. in Wir. Commun. (SPAWC), pp. 221–225, 2015.
- 186.J. Liu, J. Zhang, K.B. Letaief, Delay-optimal computation task scheduling for mobile-edge computing systems. In: Proc. IEEE Int. Symp. Information Theory (ISIT), pp. 870–874, 2016.
- 187.P. Liu, S. Jin, T. Jiang, M. Matthaieu, Pilot power allocation through user grouping in multi-cell massive MIMO systems. *IEEE Trans. on Communications*, 65(4), 1561–1574, 2017.
- 188.Y. Liu, J.E. Fieldsend, G. Min, A framework of Fog computing: architecture, challenges, and optimization. *IEEE Access*, 5, 25445–25454, 2017.
- 189.Q. Liu, Z. Zhang, H. Hu, J. Shi, Modeling and analysis of one-tier ultradense multiuser networks. *IEEE Access*, 6, 13972–13979, 2018.
- 190.M. Liyanage, A. B. Abro, M. Ylianttila, A. Gurkov, Opportunities and challenges of software-defined mobile networks in network security. *IEEE Security Privacy*, 14(4), 34–44, 2016.
- 191.D. Lopez-Perez, M. Ding, H. Claussen, A. Jafari, Towards 1 Gbps/UE in cellular systems: understanding ultra-dense small cell deployments. *IEEE Commun. Surveys Tuts.*, 17(4), 2078–2101, 2015.
- 192.J. Lopez, R. Rios, F. Bao, G. Wang, Evolving privacy: from sensors to the Internet of Things. *FGCS*, 75, 46–57, 2017.
- 193.L. Lu, G.Y. Li, A.L. Swindlehurst, A. Ashikhmin, R. Zhang, An overview of massive MIMO: benefits and challenges. *IEEE J. Sel. Topics Signal Process.*, 8(5), 742–758, 2014.
- 194.Y.-W. Ma, J.-L. Chen, J.-Y. Jhou, Adaptive service function selection for Network Function Virtualization networking. *FGCS*, 91, 108–123 2019.
- 195.S. Makridakis, R. Winkler, Average of forecasts: some empirical results. *Manag. Sci.*, 29, 987–996, 1983.
- 196.Y. Mao, J. Zhang, K.B. Letaief, Dynamic computation offloading for mobile-edge computing with energy harvesting devices. *IEEE J. Sel. Areas Commun.*, 34(5), 1448–1462, 2016.
- 197.Y. Mao, C. You, K. Huang, K.B. Letaief, Mobile edge computing: survey and research outlook. *Electr. prepr.*, 30 p., Jan. 11, 2017. <http://arxiv.org/abs/1701.01090> [cs.IT]
- 198.Y. Mao, J. Zhang, K.B. Letaief, Joint task offloading scheduling and transmit power allocation for mobile-edge computing systems. *Electr. prepr.*, 6 p., Jan. 18, 2017. <http://arxiv.org/abs/1701.05055> [cs.IT]
- 199.Y. Mao, C. You, J. Zhang, K. Huang, K.B. Letaief, A Survey on Mobile Edge Computing: The Communication Perspective. *IEEE Commun. Surv. and Tutor.*, 19(4), 2322–2358, 2017.
- 200.R.E. Markland, A comparative study of demand forecasting techniques for military helicopter spare parts. *Nav. Res. Logist. Quart.*, 17(1), 103–119, 1970.
- 201.P. Marsch, I. Da Silva, O. Bulakci, M. Tesanovic, S.E. El Ayoubi, T. Rosowski, A. Kaloxyllos, M. Boldi, 5G radio access network architecture: design guidelines and key considerations. *IEEE Commun. Mag.*, 54(11), 24–32, 2016.
- 202.T. Mastelic, A. Oleksiak, H. Claussen, I. Brandic, J.-M. Pierson, A.V. Vasilakos, Cloud computing: survey on energy efficiency. *ACM Surv.*, 47(2), art. 33, 2015.
- 203.R. Mijumbi, J. Serrat, J.-L. Gorricho, N. Bouten, F. De Turck, R. Boutaba, Network function virtualization: state-of-the art and research challenges. *IEEE Commun. Surv.&Tutor.*, 18(1), 236–262, 2016.
- 204.R. Mijumbi, J. Serrat, J.-L. Gorricho, S. Latre, M. Charalambides, D. Lopez, Management and orchestration challenges in network functions virtualization. *IEEE Commun. Mag.*, 54(1), (2016) 98–105, 2016.
- 205.C.M. Miller, R.T. Clemen, R.L. Winkler, The effect of nonstationarity on combined forecasts. *Int. J. of Forecasting*, 7(4), 515–529, 1992.
- 206.J.G. Miller, W.L. Berry, C.-Y.F. Lai, A comparison of alternative forecasting strategies for multi-stage production-inventory systems. *Dec. Sci.*, 7(4), 714–724, 2007.
- 207.C.K. Min, A. Zellner, Bayesian and non-Bayesian methods for combining models and forecasts with applications to forecasting international growth-rates. *J. of Econometrics*, 56 (1–2), 89–118, 1993.

- 208.D. Miorandi, S. Sicari, F. De Pellegrini, I. Chlamtac, Internet of things: Vision, applications and research challenges. *Ad Hoc Netw.*, 10(7), 1497–1516, 2012.
- 209.D. Mircetic, S. Nikolicic, D. Stojanovic, M. Maslaric, Modified top-down approach for hierarchical forecasting in a beverage supply chain. *Transp. Res. Procedia*, 22 193-202, 2017.
- 210.R.N. Mitra, D.P. Agrawal, 5G mobile technology: a survey. *ICT Express*, 1(3), 132–137, 2015.
- 211.O. Momeni, E. Afshari, High power terahertz and millimeter-wave oscillator design: a systematic approach. *IEEE J. Solid-State Circuits*, 46(3), 583–597, 2011.
- 212.S. Moon, C. Hicks, A. Simpson, The development of a hierarchical forecasting method for predicting spare parts demand in the South Korean Navy A case study. *Int. J. Prod. Econ.*, 140, 794–802, 2012.
- 213.A. Morgado, K.M.S. Huq, S. Mumtaz, J. Rodriguez, A survey of 5G technologies: regulatory, standardization and industrial perspectives. *Digital Communications and Networks*, 4(2), 87–97, 2018.
- 214.O. Munoz, A. P-Iserte, J. Vidal, Joint optimization of radio and computational resources for multicell mobile-edge computing. *IEEE Trans. Signal Info. Process. Over Networks*, 1(2), 89–103, 2015.
- 215.M.M. Naghsh, M. Soltanalian, P. Stoica, M. Masjedi, B. Ottersten, Rate optimization for massive MIMO relay networks: a minorization-maximization approach. In: 2016 IEEE Int. Conf. on Speech and Signal Processing (ICASSP), pp. 3611–3615, 2016.
- 216.Y.-H. Nam, B.L. Ng, K. Sayana, Y. Li, J. Zhang, Y. Kim, J. Lee, Full-dimension MIMO (FD-MIMO) for next generation cellular technology. *IEEE Commun. Mag.*, 51(6), 172–179, 2013.
- 217.S. Nath, A. Seal, T. Banerjee, S.K. Sarkar, Optimization using swarm intelligence and dynamic graph partitioning in IoE infrastructure: Fog computing and cloud computing. In: J. Mandal, P. Dutta, S. Mukhopadhyay (eds), Computational Intelligence, Communications, and Business Analytics CICBA 2017, Springer, pp. 440–452, 2017.
- 218.Z.D. Nenova, J.H. May, Determining an optimal hierarchical forecasting model based on the characteristics of the data set: technical note. *J. of Oper. Manag.*, 44, 62–68, 2016.
- 219.A. Neogi, P. Chaporkar, A. Karandikar, Multi-player multi-armed bandit based resource allocation for D2D communications. *Electr. prepr.*, 10 p., Dec. 12, 2018. [http://arxiv.org/abs/1812.11837 \[cs.NI\]](http://arxiv.org/abs/1812.11837)
- 220.P. Newbold, C.W.J. Granger, Experience with forecasting univariate time series and combination of forecasts. *J. of the Royal Statistical Society Series A Statistics in Society*, 137, 131–165, 1974.
- 221.X.T. Nguyen, H.T. Tran, H. Bartaki, K. Geiths, Optimization of non-functional properties in Internet of Things applications. *J. of Netw. and Comp. Appl.*, 89, 120–129, 2017.
- 222.V.-G. Nguyen, A. Brunstrom, K.-J. Grinnemo, J. Taheri, SDN/NFV-based mobile packet core network architecture: a survey. *IEEE Commun. Surv. and Tut.*, 19(3), 1567–1602, 2017.
- 223.K. Nikolopoulos, A.A. Syntetos, J.E. Boylan, F. Petropoulos, V. Assimakopoulos, An aggregate-disaggregate intermittent demand approach (ADIDA) to forecasting: An empirical proposition and analysis. *J. of the ORS*, 62(3), 544–554, 2011.
- 224.M. Noura, R. Nordin, A survey on interference management for Device-to-Device (D2D) communication and its challenges in 5G networks. *J. of Netw. and Comp. Appl.*, 71, 130–150, 2016.
- 225.M.R. Palattella, M. Dohler, A. Grieco, G. Rizzo, J. Torsner, T. Engel, L. Ladid, Internet of Things in the 5G era: Enablers, architecture, and business models. *IEEE J. on Sel. Areas in Commun.*, 34(3), 510–527, 2016.
- 226.F.C. Palm, A. Zellner, To combine or not to combine? Issues of combining forecasts. *J. of Forecasting*, 11(8), 687–701, 1992.
- 227.N. Panwar,, S. Sharma, A.K. Singh, A survey on 5G: the next generation of mobile communication. *Physical Communication*, 18, Part 2, 64–84, 2016.
- 228.C. Papagianni, A. Leivadeas, S. Papavassiliou, V. Maglaris, C. Cervello-Pastor, A. Monje, On the optimal allocation of virtual resources in cloud computing networks. *IEEE Trans. on Computers*, 62, 1060–1071, 2013.
- 229.A. Paul, Graph based M2M optimization in an IoT environment. In: C.Y. Suen, A.G. Aghdam, M. Guo, J., Hong, E.S. Nadimi (eds), Proc. of the 2013 Research in Adaptive and Convergent Systems (RACS), ACM, New York, pp. 45–46, 2013.
- 230.M. Peng, Y. Li, Z. Zhao, C. Wang, System architecture and key technologies for 5G heterogeneous cloud radio access networks. *IEEE Network*, 29(2), 6–14, 2015.
- 231.X. Peng, J. Li, Y. Xu, Energy efficiency maximization of dynamic CoMP-JT algorithm in dense small cell networks. *Wireless Communications and Mobile Computing*, vol. 2018, Art. ID 8572489, 2018.

- 232.C.L.P. Pennings, J. van Dalen, Integrated hierarchical forecasting. *EJOR*, 263, 412–418, 2017.
- 233.L. Pentikousis, Y. Wang, W. Hu, MobileFlow: toward software-defined mobile networks. *IEEE Access*, 51, 44–53, 2013.
- 234.C. Perera, A. Zaslavsky, P. Christen, D. Georgakopoulos, Context aware computing for the Internet of Things: a survey. *IEEE Commun. Surv. Tutor.*, 16(1), 414-454, 2014.
- 235.F. Petropoulos, N. Kourentzes, Forecast combinations for intermittent demand. *J. of the ORS*, 66(6), 914–924, 2015.
- 236.Y. Qi, M. A. Imran, R. Tafazolli, Energy-efficient mobile network design and planning. In: K. Samdanis, P. Rost, A. Maeder, M. Meo, C. Verikoukis (eds), *Green Communications. Principles, Concepts and Practice*. pp. 97–118, Wiley, 2015.
- 237.M. Qian, Y. Wang, Y. Zhou, L. Tian, J. Shi, A super base station based centralized network architecture for 5G mobile communication systems. *Digital Commun. and Netw.*, 1(2), 152–159, 2015.
- 238.T.S. Rappaport et al., Millimeter wave mobile communications for 5G cellular: It will work. *IEEE Access*, 1, 335-349, May 2013.
- 239.M.M. Rathore, A. Paul, A. Ahmad, M. Anisetti, G. Jeon, Hadoop-based intelligent care system (HICS): analytical approach for big data in IoT. *ACM Trans. on Internet Technology (TOIT)*, 18(1), art. 8, 2017.
- 240.P.P. Ray, A survey on Internet of Things architecture. *J. of King Saud University - Computer and Information Sciences*, 39(3), 291–319, 2018.
- 241.W. Roh, J.-Y. Seol, J. Park, B. Lee, J. Lee, Y. Kim, J. Cho, K. Cheun, F. Aryanfar, Millimeter-wave beamforming as an enabling technology for 5G cellular communications: theoretical feasibility and prototype results. *IEEE Commun. Mag.*, 52(2), 106–113, 2014.
- 242.R. Roman, J. Lopez, M. Mambo, Mobile edge computing, fog et al.: A survey and analysis of security threats and challenges. *Electr. prepr.*, 31 p., Feb. 1, 2016. <http://arxiv.org/abs/1602.00484> [cs.CR]
- 243.P. Rost, C.J. Bernardos, A. De Domenico, M. Di Girolamo, M. Lalam, A. Maeder, D. Sabella, D. Wubben, Cloud technologies for flexible 5G radio access networks. *IEEE Commun. Mag.*, 52(5), 61-67, 2014.
- 244.B. Rostami-Tabar, M.Z. Babai, A. Syntetos, Y. Ducq, Demand forecasting by temporal aggregation. *Naval Research Logistics*, 60(6), 479–498, 2013.
- 245.S. Saadat, D. Chen, T. Jiang, Multipath multihop mmWave backhaul in ultra-dense small-cell network. *Digital Communications and Networks*, 4(2), 111–117, 2018.
- 246.D. Sabella, A. Vaillant, P. Kuure, U. Rauschenbach, F. Giust, Mobile-edge computing architecture: The role of MEC in the Internet of Things. *IEEE Consum. Electron. Mag.*, 5(4), 84-91, 2016.
- 247.K. Samdanis, P. Rost, A. Maeder, M. Meo, C. Verikoukis (eds), *Green Communications. Principles, Concepts and Practice*. Wiley, 2015.
- 248.B. Sani, B.G. Kingsman, Selecting the best periodic inventory control and demand forecasting methods for low demand items. *J. of the ORS*, 48, 700–713, 1997.
- 249.G. Sanfilippo, O. Galinina, S. Andreev, S. Pizzi, G. Araniti, A concise review of 5G new radio capabilities for directional access at mmWave frequencies. *Electr. prepr.*, 14 p., Dec. 20, 2018. <http://arxiv.org/abs/1812.11653> [cs.NI]
- 250.S. Sardellitti, G. Scutari, S. Barbarossa, Joint optimization of radio and computational resources for multicell mobile cloud computing. *Electr. prepr.*, 13 p., Dec. 29, 2014. <http://arxiv.org/abs/1412.8416> [cs.NI]
- 251.A.B. Schwarzkopf, R.J. Tersine, J.S. Morris, Top-down versus bottom-up forecasting strategies. *Int. J. Prod. Res.*, 26(11), 1833–1843, 1988.
- 252.O.B. Sezer, E. Dogdu, A.M. Ozbayoglu, Context-aware computing, learning, and big data in internet of things: a survey. *IEEE Internet of Things Journal*, 5(1), 1–27, 2018.
- 253.H. Shariatmadari, R. Ratasuk, S. Iraji, A. Laya, T. Taleb, R. Jantti, A. Ghosh, Machine-type communications: current status and future perspectives toward 5G systems. *IEEE Commun. Mag.*, 53(9), 10–17, 2015.
- 254.P. Sharma, Evolution of mobile wireless communication networks - 1G to 5G as well future prospective of next generation communication network. *Int. J. of Comp. Sci. and Mob. Comput.*, 2(8), 47–53, 2013.
- 255.W. Shi, S. Dustdar, The promise of edge computing. *Comput.*, 49(5), 78–81, 2016.

- 256.E. Shlifer, R.W. Wolff, Aggregation and proration in forecasting. *Manag. Sci.*, 25(6), 594–603, 1979.
- 257.S. Singh, R.K. Jha, A survey on software defined networking: Architecture for next generation network. *J. of Netw. and Syst. Manag.*, 25(2), 321–374, 2017.
- 258.I.B. Sofi, A. Gupta, A survey on energy efficient 5G green network with a planned multi-tier architecture. *J. of Netw. and Comp. Appl.*, 118, 1–28, 2018.
- 259.S.Y. Sohn, M. Lim, Hierarchical forecasting based on AR-GARCH model in a coherent structure. *EJOR*, 176, 1033–1040, 2007.
- 260.L.R. Souza, J. Smith, Effects of temporal aggregation on estimates and forecasts of fractionally integrated processes: A Monte-Carlo study. *Int. J. of Forecasting*, 20(3), 487–502, 2004.
- 261.P.A. de Souza, A.S. Abdallah, E.F. Bueno, K.V. Cardoso, Virtualized radio access networks: centralization allocation and positioning of resources. In: 2008 IEEE Int. Conf. on Communications Workshops (ICC Workshops), pp. 1–6, 2018.
- 262.G. Steffen et al., Demonstrating the optimal placement of virtualized cellular network functions in case of large crown events. In: Proc. ACM Conf. SIGCOMM, pp. 359–360, 2014.
- 263.S. Sun, T. Rappaport, R. Heath, A. Nix, S. Rangan, MIMO for millimeter-wave wireless communications: beamforming, spatial multiplexing, or both? *IEEE Commun. Mag.*, 52(12), 110–121, 2014.
- 264.S. Sun, B. Rong, R.Q. Hu, Y. Qian, Spatial domain management and massive MIMO coordination in 5G SDN. *IEEE Access*, 3, 2238–2251, 2015.
- 265.X. Sun, N. Ansari, Green cloudlet network: A distributed green mobile cloud network. *IEEE Networks*, 31(1), 64–70, 2017.
- 266.R. Takechi, K. Ogawa, M. Okuda, Use of self-organizing networks to optimize radio access networks. *FUJITSU Sci. Tech. J.*, 48(1), 83–88, 2012.
- 267.P.K. Taksande, P. Jha, A. Karamdikar, Dual connectivity support in 5G networks: an SDN based approach. *Electr. prepr.*, 6 p., Dec. 4, 2018. <http://arxiv.org/abs/1812.11825> [cs.NI]
- 268.T. Taleb, M. Bagaa, A. Ksentini, User mobility-aware virtual network function placement for virtual 5G network infrastructure. In: Proc. IEEE Int. Conf. Commun. (ICC), pp. 3879–3884, 2017.
- 269.F. Tan, T. Lv, S. Yang, Power allocation optimization for energy efficient massive MIMO aided multi-pair decode-and-forward relay systems. *IEEE Trans. on Commun.*, 65(6), 2368–2381, 2017.
- 270.F. Tan, T. Lv, P. Huang, Global energy efficiency optimization for wireless-powered massive MIMO aided multiway AF relay networks. *IEEE Trans. on Signal Processing*, 66(9), 2384–2398, 2018.
- 271.R. Tandon, O. Simeone, Harnessing cloud and edge synergies: Toward an information theory of fog radio access networks. *IEEE Commun. Mag.*, 54(8), 44–50, 2016.
- 272.S. Tata, M. Mohamed, A. Megahed, An optimization approach for adaptive monitoring in IoT environments. In: 2017 IEEE Int. Conf. on Service Computing (SCC), pp. 378–385, 2017.
- 273.M. Tehrani, M. Uysal, H. Yanikomeroglu, Device-to-device communication in 5G cellular networks: challenges, solutions, and future directions. *IEEE Commun. Mag.*, 52(5), 86–92, 2014.
- 274.F.B. Tesema, A. Awada, I. Viering, M. Simsek, G. Fettweis, Evaluation of context-aware mobility robustness optimization and multi-connectivity in intra-frequency 5G ultra dense networks. *IEEE Wireless Communications Letters*, 5, 608–611, Dec. 2016.
- 275.A. Timmermann, Forecast combinations. In: G. Elliott, C. Granger, A. Timmermann (eds), *Handbook of Economic Forecasting*. vol. 1, Elsevier, pp. 135–196, 2006.
- 276.A. Trabelsi, S. Hillmer, A benchmarking approach to forecast combination. *J. of Business and Economic Statistics*, 7, 353–362, 1989.
- 277.T.X. Tran, A. Hajisami, P. Pandey, D. Pompili, Collaborative mobile edge computing in 5G networks: New paradigms, scenarios, and challenges. *Electr. prepr.*, 7 p., Apr. 11, 2017. <http://arxiv.org/pdf/1612.03184> [cs.NI]
- 278.H.-L. Truong, S. Dustdar, Principles for engineering IoT cloud systems, *IEEE Cloud Comput.*, 2(2), 68–76, 2015.
- 279.D. Tuncer, M. Charalambides, S. Clayman, G. Pavlou, Adaptive resource management and control in software defined networks. *IEEE Trans. on Netw. and Serv. Manag.*, 12(1), 18–33, 2015.
- 280.M. Vaezi, Y. Zhang, *Cloud Mobile Networks*. Springer, 2017.
- 281.C. Vallati, A. Virdis, E. Mingozzi, G. Stea, Mobile-edge computing come home connecting things in future smart homes using LTE device-to-device communications. *IEEE Consum. Electron. Mag.*, 5(4), 77–83, 2016.

- 282.L.M. Vaquero, L. Rodero-Merino, Finding your way to Fog: Toward a comprehensive definition of fog computing. *SIGCOMM Comput. Commun. Rev.*, 44(5), 27–32, 2014.
- 283.C.-X. Wang, F. Haider, X. Gao, X. You, Y. Yang, D. Yuan, H.M. Aggoune, H. Haas, S. Fletcher, E. Hepsaydir, Cellular architecture and key technologies of 5G wireless communication networks. *IEEE Commun. Mag.*, 52(2), 122–130, 2014.
- 284.X. Wang, M. Chen, T. Taleb, A. Ksentini, V. C. Leung, Cache in the air: Exploiting content caching and delivery techniques for 5G systems. *IEEE Commun. Mag.*, 52(2), 131–139, 2014.
- 285.Y. Wang, I.-R. Chen, D.-C. Wang, A survey of mobile cloud computing applications: perspectives and challenges. *Wireless Personal Communications*, 80(4), 1607–1623, 2015.
- 286.C. Wang, K. Ren, J. Wang, Secure optimization computation outsourcing in cloud computing: a case study of linear programming. *IEEE Trans. Comput.*, 65(1), 216–229, 2016.
- 287.L. Wang, Z. Lu, X. Wen, R. Knopp, R. Gupta, Joint optimization of service function chaining and resource allocation in network function virtualization, *IEEE Access*, 4, 8084–8094, 2016.
- 288.R. Wang, J. Zhang, S.H. Song, K.B. Letaief, QoS-aware joint mode selection and channel assignment for D2D communications. In: 2016 IEEE Int. Conf. on Communications ICC 2016, pp. 1–6, 2016.
- 289.R. Wang, J. Zhang, S.H. Song, K.B. Letaief, Optimal QoS-aware channel assignment in D2D communications with partial CSI. *IEEE Trans. on Wireless Commun.*, 15(11), 7594–7609, 2016.
- 290.X. Wang, L. Muxuan, L. Xianglu, S. Jiangian, Multiple spectra allocation based on software defined wireless network. In: 2016 2nd Int. Conf. on Comp. and Commun. (ICCC), pp. 1460–1466, 2016.
- 291.G. Wang, Y. Zhao, J. Huang, W. Wang, The controller placement problem in software defined networking: a survey. *IEEE Network*, 31(5), 21–27, 2017.
- 292.T. Wang, C. Ma, Y. Sun, S. Zhang, Y. Wu, Energy efficient maximized resource allocation for opportunistic relay-aided OFDMA downlink with subcarrier pairing. *Wireless Communications and Mobile Computing*, vol. 2018, Art. ID 9046847, 2018.
- 293.C.-X. Wang, J. Bian, J. Sun, W. Zhang, M. Zhang, A survey of 5G channel measurements and models. *IEEE Commun. Surv. and Tutor.*, 20(4), 1939–1962, 2018.
- 294.Z. Wang, J. Huang, S. Rose, Evolution and challenges of DNS-based CDNs. *Digital Communications and Networks*, 4(4), 235–243, 2018.
- 295.G. Weatherby, Aggregation, disaggregation and combination of forecasts. Ph.D. thesis, Georgia Institute of Technology, 1984.
- 296.S.L. Wickramasuriya, G. Athanasopoulos, R.J. Hyndman, Forecasting hierarchical and grouped time series through trace minimization. Technical Report 15/15, Monash University, 2015.
- 297.H. Widiarta, S. Viswanathan, R. Piplani, On the effectiveness of top-down strategy for forecasting autoregressive demands. *Nav. Res. Logist.*, 54(2), 176–188, 2006.
- 298.H. Widiarta, S. Viswanathan, R. Piplani, Evaluation of hierarchical forecasting for substitutable products. *Int. J. of Services and Operations Management*, 4(3), 277–295, 2008.
- 299.H. Widiarta, S. Viswanathan, R. Piplani, On the effectiveness of top-down strategy for forecasting autoregressive demands. *Nav. Res. Logist.*, 54(2), 176–188, 2007.
- 300.H. Widiarta, S. Viswanathan, Forecasting item-level demands: an analytical evaluation of top-down versus bottom-up forecasting in a production planning framework. *IMA J. Manag. Math.*, 19(2), 207–218, 2008.
- 301.H. Widiarta, S. Viswanathan, R. Piplani, Forecasting aggregate demand: an analytical evaluation of top-down versus bottom-up forecasting in a production planning framework. *Int. J. of Prod. Econ.*, 118(1), 87–94, 2009.
- 302.R.L. Winkler, R.T. Clemen, Sensitivity of weights in combining forecasts. *Oper. Res.*, 40(3), 609–614, 1992.
- 303.J. Wu, Z. Zhang, Y. Hong, Y. Wen, Cloud radio access network (C-RAN): a primer. *IEEE Netw.*, 29(1), 35–41, 2015.
- 304.W. Xiang, K. Zheng, X. Shen (eds), *5G Mobile Communications*. Springer, 2017.
- 305.J. Xu, J. Wang, Y. Zhu, Y. Yang, X. Zheng, S. Wang, L. Liu, K. Homeman, Y. Teng, Cooperative distributed optimization for the hyper-dense small cell deployment. *IEEE Commun. Mag.*, 52(5), 61–67, 2014.
- 306.J. Xu, Y. Sun, L. Chen, S. Zhon,  $E^2M^2$ : energy efficient mobility management in dense small cells with mobile edge. *Electr. prepr.*, 18 p., Jan. 25, 2017. <http://arxiv.org/abs/1701.07363> [cs.NI]

- 307H. Xu, Q. Li, J. Wang, G. Luo, C. Zhu, W. Sun, An optimization routing algorithm for green communication in underground mines. *Sensors*, 18(6), art. 1950, 2018.
- 308G. Yang, C.K. Ho, R. Zhang, Y.L. Guan, Throughput optimization for massive MIMO systems powered by wireless energy transfer. *IEEE J. Sel. Areas Commun.*, 33(8), 1640–1650, 2015.
- 309G. Yang, M. Xiao, M. Alam, Y. Huang, Low-latency heterogeneous networks with millimeter-wave communications. *Electr. prepr.*, 8 p., Jan. 28, 2018. <http://arxiv.org/abs/1801.09286> [cs.AI]
- 310L. Yang, J. Cao, G. Liang, X. Han, Cost aware service placement and load dispatching in mobile cloud systems. *IEEE Trans. Comput.*, 65(5), 1440-1452, 2016.
- 311Y. Yan, H. Gao, T. Lv, Y. Lu, Energy-efficient resource allocation in ultra-dense networks with massive MIMO. In: *Globecom Workshops (GC Wkshps) 2017 IEEE*, pp. 1–7, 2017.
- 312Z. Yang, W. Jiang, G. Li, Resource allocation for green cognitive radios: energy efficiency maximization. *Wireless Communications and Mobile Computing*, vol. 2018, Art. ID 7906957, 2018.
- 313X.-W. Yao, W.-L. Wang, S.-H. Yang, Joint parameter optimization for perpetual nanonetworks and maximum network capacity. *IEEE Trans. Mol. Biol. Multi-Scale Commun.*, 1(4), 321–330, 2015.
- 314X.-W. Yao, C.-C. Wang, W.-L. Wang, J.M. Josep, On the achievable throughput of the energy-harvesting nanonetworks in the terahertz band. *IEEE Sensors J.*, 18(2), 902–912, 2018.
- 315X. You, C. Zhang, X. Tan, S. Jin, H. Wu, AI for 5G: research directions and paradigms. *Science China Information Sciences*, 62(2), Art. 021301, 2019.
- 316C.-H. Yu, K. Doppler, C.B. Ribeiro, O. Tirkkonen, Resource sharing optimization for device-to-device communication underlaying cellular networks. *IEEE Trans. Wireless Commun.*, 10(8), 2752–2763, 2011.
- 317G. Yu, L. Xu, D. Feng, R.J. Yim, G.Y. Li, Y. Jiang, Joint mode selection and resource allocation for device-to-device communications. *IEEE Trans. Commun.*, 62(11), 3814–3824, 2014.
- 318R. Yu, J. Ding, S. Maharjan, S. Gjessing, Y. Zhang, D. Tsang, Decentralized and optimal resource cooperation in geo-distributed mobile cloud computing. *IEEE Trans. Emerg. Topics Comput.*, vol. PP, no. 99, pp. 1–13, 2015.
- 319X. Yu, J.-C. Shen, J. Zhang, K.B. Letaief, Alternative minimization algorithms for hybrid precoding in millimeter wave MIMO systems. *J. Sel. Topics Signal Processing*, 10(3), 485–500, 2016.
- 320N. Zhang, N. Cheng, A. Gamage, K. Zhang, J. Mark, X. Shen, Cloud assisted HetNets toward 5G wireless networks. *IEEE Commun. Mag.*, 53(6), 59–65, 2015.
- 321N. Zhang, J. Wang, G. Kang, Y. Liu, Uplink nonorthogonal multiple access in 5G systems. *IEEE Commun. Lett.*, 20(3), 458–461, 2016.
- 322R. Zhang, Y. Li, C.-X. Wang, Y. Ruan, H. Zhang, Energy efficient power allocation for underlaying mobile D2D communications with peak/average interference constraints. *SCIENCE CHINA Information Sciences*, 61(8), 089301:1–089301-3, 2016.
- 323W. Zhang, Z. Zhang, H.-C. Chao, M. Guizani, Toward intelligent network optimization in wireless networking: an auto-learning framework. *Electr. prepr.*, 8 p., Dec. 19, 2018. <http://arxiv.org/abs/1812.08198> [cs.NI]
- 324L. Zhao, H. Zhao, F. Hu, K. Zheng, J. Zhang, Energy efficient power allocation algorithm for downlink massive MIMO with PRT precoding. In: *2013 IEEE 78th Veh. Technol Conf. (VTC-Fall)*, pp. 1–5, 2013.
- 325B. Zhao, V. Friderrikos, Towards delay-tolerant cognitive cellular networks. In: K. Samdanis, P. Rost, A. Maeder, M. Meo, C. Verikoukis (eds), *Green Communications. Principles, Concepts and Practice*. pp. 199–216, Wiley, 2015.
- 326L. Zhou, D. Wu, Z. Dong, X. Li, When collaboration hugs intelligence: Content delivery over ultra-dense networks. *IEEE Commun. Mag.*, 55(12), 91–95, 2017.
- 327A. Zellner, J. Tobias, A note on aggregation, disaggregation and forecasting performance. *J. of Forecasting*, 19, 457–469, 2000.
- 328G. Zotteri, M. Kalchschmidt, F. Caniato, The impact of aggregation level on forecasting performance. *Int. J. of Prod. Econ.*, 93-94(8), 479-491, 2005.

Author address:

Mark Sh. Levin, Institute for Information Transmission Problem, Russian Academy of Sciences  
<http://www.mslevin.iitp.ru/> email: mslevin@acm.org